

Научни трудове на ПУ, Animalia Trav. Sci. Univ. Plovdiv, Animalia	Год./Ап. 2002	Том/Vol. 38	Кн./Fasc. 6	с./pp. 81-112
--	------------------	----------------	----------------	------------------

**CHECK LIST OF THE FUNGUS GNATS OF THE FAMILIES
BOLITOPHILIDAE, DIADOCIDIIDAE, DITOMYIIDAE,
KEROPLATIDAE AND MYCETOPHILIDAE IN BULGARIA
(DIPTERA: NEMATOCERA)**

Dimitar N. Bechev

*Department of Zoology, University of Plovdiv, Tsar Assen Str. 24,
BG-4000 Plovdiv, Bulgaria
bechev@pu.acad.bg*

Abstract. Check list of 305 fungus gnats species known to the fauna of Bulgaria up to 2002 is presented.

Key words: Diptera, *Bolitophilidae*, *Diadocidiidae*, *Ditomyiidae*, *Keroplattidae*, *Mycetophilidae*, Bulgaria.

INTRODUCTION

A complete list of the fungus gnats known in Bulgaria till 2002 is presented. Literature sources for each of the species are given, and also the names under which the species have previously been reported to the fauna of Bulgaria. The adopted new names are a reflection of changes in the taxonomy and the nomenclature, or of established misidentifications.

Acknowledgements. I thank the authorities of FSI of University of Plovdiv for financial support (Project 01-B-68).

LIST OF THE SPECIES

Family BOLITOPHILIDAE

Genus *Bolitophila* Meigen, 1818

Subgenus *Bolitophila* s. str.

Bolitophila (Bolitophila) basicornis (Mayer, 1951)

Bechev, 1989a: 153; 1997: 10; 2000: 56.

Bolitophila (Bolitophila) cinerea Meigen, 1818

Bechev, 1986a: 72; 1997: 10; 2000: 56.

Bolitophila (Bolitophila) saundersi (Curtis, 1836)

Messala saundersi: Burghelle-Balacesso, 1966: 305; *Bolitophila saundersi*: Bechev, 1985a: 36; 1997: 10; 2000: 56.

Bolitophila (Bolitophila) tenella Winnertz, 1863

Bechev, 2001: 5.

Subgenus *Ctiopisa* Enderlein, 1836

Bolitophila (Ctiopisa) fumida Edwards, 1941

B. glabrata Loew: Bechev, 1989a: 154; 1997: 10; 2000: 56. *B. fumida*: Bechev, 2001: 5.

Bolitophila (Ctiopisa) hybrida (Meigen, 1804)

B. fusca Meigen: Nedelkov, 1912: 179. *B. hybrida*: Bechev, 1985a: 36; 1997: 10; 2000: 56.

Bolitophila (Ctiopisa) maculipennis Walker, 1836

Bechev, 1989a: 154; 1997: 10; 2000: 56.

Bolitophila (Ctiopisa) occulsa Edwards, 1913

Bechev, 1991a: 27; 1997: 10.

Bolitophila (Ctiopisa) pseudohybrida Landrock, 1912

Bechev, 1989a: 154; 1997: 10; 2000: 56.

Bolitophila (Ctiopisa) rossica Landrock, 1912

Bechev, 2001: 7.

Family DIADOCIDIIDAE

Genus *Diadocidia* Ruthe, 1831

Subgenus *Diadocidia* s. str.

Diadocidia (Diadocidia) ferruginosa (Meigen, 1830)

Bechev, 1986a: 72; 1997: 10; 2000: 56.

Diadocidia (Diadocidia) spinosula Tollet, 1948

Bechev, 1989a: 154; 1997: 10; 2000: 56.

Subgenus *Adidocidia* Laštovka et Matile 1972.

Diadocidia (Adidocidia) valida Mik, 1874

Bechev, 1986a: 72; 1997: 10; 2000: 56.

Family DITOMYIIDAE

Genus *Ditomyia* Winnertz, 1846

Ditomyia fasciata (Meigen, 1818)

Bechev, 1985a: 36; 1989b: 161; 1997: 10; 1999a: 38; 2000: 57.

Genus *Symmerus* Walker, 1848

Symmerus annulatus (Meigen, 1830)

Bechev, 1986b: 56; 1997: 10; 2000: 57.

Family KEROPLATIDAE

Subfamily KEROPLATINAE

Tribe *Keroplattini* Rondani, 1856

Genus *Cerotelion* Rondani, 1856

Cerotelion striatum (Gmelin, 1790)

Ceroplatus lineatus Fabricius: Nedelkov, 1912: 179. *Cerotelion lineatus* (Fabricius): Bechev, 1985a: 37; 1997: 10; 2000: 57.

Cerotelion racovitzai Matile et Burghelle-Balacesso, 1969

Bechev, 1986b: 57; 1997: 10; 2000: 57.

Genus *Keroplatus* Bosc, 1792

Keroplatus reaumurii Dufour, 1839
Bechev, 2001: 7.

Keroplatus testaceus Dalman, 1818
Bechev, 1986b: 57; 1997: 10; 2000: 57.

Keroplatus tipuloides Bosc, 1792
Bechev, 1999a: 38.

Tribe *Orfeliini*

Genus *Antlemon* Haliday in Loew, 1871
Subgenus *Antlemonopsis* Tollett, 1953

Antlemon (Antlemonopsis) brevimanum (Loew, 1871)
Bechev, 1991a: 27; 1997: 10; 2000: 57.

Genus *Isoneuromyia* Brunetti, 1912

Isoneuromyia semirufa (Meigen, 1818)

Orfelia (Isoneuromyia) semirufa: Bechev, 1985a: 37. *Isoneuromyia semirufa*: Bechev, 1997: 10; 2000: 57.

Genus *Macrorrhyncha* Winnertz, 1846

Macrorrhyncha collaris (Tollett, 1955)

Asindulum exemplum Plassmann: Plassmann, 1978: 205; Bechev, 1985a: 37. *Macrorrhyncha exemplum* Plassmann: Bechev, 1992a: 318. *M. collaris*: Bechev, 1997: 11; 2000: 57.

Macrorrhyncha flava Winnertz, 1846
Bechev, 1985a: 37; 1997: 11; 2000: 57.

Macrorrhyncha veleka Bechev, 1992
Bechev, 1992b: 61; 1997: 11.

Genus *Monocentrotrota* Edwards, 1925

Monocentrotrota matilei Bechev, 1989
Bechev, 1989c: 174; 1997: 11; 2000: 57.

Genus *Neoplatoryura* Malloch, 1928

Neoplatoryura modesta (Winnertz, 1863)
Bechev, 2001: 7.

Neoplatoryura nigricauda (Strobl, 1893)
Orfelia (N.) nigricauda: Bechev, 1986b: 57. *Neoplatoryura nigricauda*: Bechev, 1997: 11; 2000: 57.

Genus *Orfelia* A. Costa, 1857

Orfelia discoloria (Meigen, 1818)
Bechev, 2001: 7.

Orfelia fasciata (Meigen, 1804)
Bechev, 1986b: 57; 1997: 11; 2000: 57.

Orfelia gruevi Bechev (in press)
Bechev (in press)

Orfelia nemoralis (Meigen, 1818)
Bechev, 1986b: 57; 2000: 57.

Orfelia nigricornis (Fabricius, 1805)
Bechev, 1990a: 85; 1997: 11; 2000: 57.

Orfelia tristis (Lundström, 1911)
Bechev, 1990a: 85; 1997: 11; 2000: 57.

Orfelia unicolor (Staeger, 1840)

Platoryura unicolor: Nedelkov, 1912: 179. *Orfelia discoloria* (Meigen): Bechev, 1985a: 37. *O. unicolor*: Bechev, 1997: 11; 2000: 57.

Genus *Platoryura* Meigen, 1803

Platoryura marginata Meigen, 1804
Bechev, 1991a: 27; 1997: 11; 2000: 57.

Genus *Pyratula* Edwards, 1929

Pyratula perpusilla (Edwards, 1913)

Orfelia (Pyratula) perpusilla: Bechev, 1985a: 37. *Pyratula oracula* Chandler: Bechev, 1996a: 19; 1997: 11; 2000: 57. *P. perpusilla*: Bechev, 1997: 11; 2000: 57.

***Pyratula zonata* (Zetterstedt, 1855)**

Orfelia (*Pyratula*) *zonata*: Bechev, 1989a: 154; *Pyratula zonata*: Bechev, 1997: 11; 2000: 57.

Genus ***Urytalpa*** Edwards, 1929

Urytalpa ochracea (Meigen, 1818)
Bechev, 2001: 7.

Urytalpa rhapsodica Chandler, 1995
Bechev, 2001: 7.

Subfamily **MACROCERINAE**

Genus ***Macrocera*** Meigen, 1803

Macrocera anglica Edwards, 1925
Bechev, 1986b: 56; 1997: 11; 2000: 57.

Macrocera angulata Meigen, 1818
Bechev, 1986b: 56; 1997: 11; 2000: 57.

Macrocera centralis Meigen, 1818
Bechev, 1985a: 37; 1997: 11; 2000: 57.

Macrocera crassicornis Winnertz, 1863
Bechev, 2000: 57.

Macrocera fasciata Meigen, 1804
Bechev, 1989a: 154; 1997: 11; 2000: 57.

Macrocera fastuosa Loew, 1869
Bechev, 1986b: 56; 1997: 11; 2000: 57.

Macrocera gemagea Bechev, 1991
Bechev, 1991b: 185; 1997: 11; 2000: 57.

Macrocera inversa Loew, 1869
Bechev, 1986b: 56; 1997: 11; 2000: 57.

Macrocera kerteszi Lundström, 1911
Bechev, 1996b: 78; 1997: 11; 2000: 57.

Macrocera lutea Meigen, 1804
Bechev, 1986b: 56; 1997: 11; 2000: 57.

Macrocera nigricoxa Winnertz, 1863
M. tusca Loew: Bechev, 1989a: 154. *M. nigricoxa*: Bechev, 1992a: 317; 1997: 11; 2000: 58.

Macrocera parva Lundström, 1914
Bechev, 1996a: 19; 1997: 11; 2000: 58.

Macrocera phalerata Meigen, 1818
Bechev, 1986b: 57; 1997: 11; 2000: 58.

Macrocera pilosa Landrock, 1917
Bechev, 1991a: 27; 1997: 11; 2000: 58.

Macrocera stigma Curtis, 1837
Bechev, 1986b: 57; 1997: 11; 2000: 58.

Macrocera stigmoides Edwards, 1925
Bechev, 1996a: 19; 1997: 11; 2000: 58.

Macrocera vittata Meigen, 1830
Bechev, 1985a: 37; 1997: 11; 2000: 58.

Family **MYCETOPHILIDAE**

Subfamily **GNORISTINAE**

Genus ***Apolephthisa*** Grzegorzek, 1885

Apolephthisa subincana (Curtis, 1837)
Bechev, 1994: 25; 1997: 13.

Genus ***Boletina*** Staeger, 1840

Boletina anderschi (Stannius, 1831)
Bechev, 1986b, 58; 1997: 13; 2000: 59.

Boletina basalis (Meigen, 1818)
Bechev, 1989a: 155; 1997: 13; 2000: 59.

Boletina gripha Dziedzicki, 1885
B. dispecta Dziedzicki: Bechev, 1986a: 73. *B. gripha*: Bechev, 1986b: 58; 1997: 13; 2000: 59.

- Boletina lundstroemi* Landrock, 1912
Bechev, 1986b: 58; 1997: 13; 2000: 59.
- Boletina nigricoxa* Staeger, 1840
Bechev, 2000: 59.
- Boletina nitida* Grzegorzek, 1885
Bechev, 1989a: 155; 1997: 13; 2000: 59.
- Boletina pallidula* Edwards, 1925
Bechev, 1994: 25; 1997: 13; 2000: 59.
- Boletina plana* (Walker, 1856)
Bechev, 1994: 25; 1997: 13.
- Boletina sciarina* Staeger, 1840
Bechev, 1994: 25; 1997: 13; 2000: 59.
- Boletina trispinosa* Edwards, 1913
Bechev, 1989a: 156; 1997: 14; 2000: 59.
- Boletina trivittata* (Meigen, 1818)
Bechev, 1986a: 73; 1997: 14; 2000: 59.
- Genus *Coelosia* Winnertz, 1863
- Coelosia flava* (Staeger, 1840)
Bechev, 1986b: 57; 1997: 14; 2000: 59.
- Genus *Ectrepesthoneura* Enderlein, 1911
- Ectrepesthoneura ledenikiensis* Bechev, 1988
Bechev, 1988a: 185; 1997: 14; 2000: 59.
- Genus *Grzegorzekia* Edwards, 1941
- Grzegorzekia collaris* (Meigen, 1818)
Bechev, 1986b: 57; 1997: 14; 2000: 59.
- Genus *Palaeodocosia* Meunier, 1904
- Palaeodocosia janickii* (Dziedzicki, 1923)
Bechev, 1986b: 57; 1997: 14; 2000: 59.
- Genus *Saigusaiia* Vockeroth, 1980
- Saigusaiia flaviventris* (Strobl, 1894)
Bechev, 1994: 25; 1997: 14; 2000: 59.
- Genus *Synapha* Meigen, 1818
- Synapha fasciata* Meigen, 1818
Bechev, 1991a: 27; 1997: 14.
- Synapha viripennis* (Meigen, 1818)
Bechev, 1986b: 57; 1997: 14; 2000: 59.
- Genus *Tetragoneura* Winnertz, 1846
- Tetragoneura ambigua* Grzegorzek, 1885
Bechev, 1994: 26; 1997: 14; 2000: 60.
- Tetragoneura sylvatica* (Curtis, 1837)
Bechev, 1986b: 58; 1997: 14; 2000: 60.
- Subfamily LEINAE
Genus *Clastobasis* Skuse, 1890
- Clastobasis alternans* (Winnertz, 1863)
Bechev, 1994: 26; 1997: 14.
- Genus *Docosia* Winnertz, 1863
- Docosia givipes* (Walker, 1856)
Bechev, 1989a: 156; 1997: 14; 2000: 59.
- Docosia lastovkai* Chandler, 1994
Chandler, 1994: 65.

Docosia moravica Landrock, 1916
Bechev, 1989a: 156; 1997: 14; 2000: 59.

Genus *Grenomyia* Brunetti, 1912

Grenomyia mongolica Laštovka et Matile, 1974
Bechev, 1989a: 156; 1997: 14; 2000: 60.

Genus *Leia* Meigen, 1818

Leia bimaculata (Meigen, 1804)

Neoglyphyoptera fasciola Meigen: Nedelkov, 1912: 179. *Leia bimaculata*: Bechev, 1985a: 38; 1989b: 162; 1997: 14; 1999a: 38; 2000: 60.

Leia cylindrica (Winnertz, 1863)

Bechev, 1986b: 58; 1997: 14; 2000: 60.

Leia picta Meigen, 1830

Bechev, 1996a: 20; 1997: 14.

Leia winthemi Lehmann, 1822

Bechev, 1986b: 58; 1997: 14; 2000: 60.

Genus *Nowakia* Strobl, 1893

Nowakia scatopsiformis Strobl, 1893

Bechev, 2000: 60

Genus *Rondaniella* Johannsen, 1909

Rondaniella dimidiata (Meigen, 1804)

Bechev, 1986b: 58; 1997: 14; 2000: 60.

N Sub Family MYCETOPHILIPAE

Trite *Exechiini*

Genus *Allodia* Winnertz, 1863

Subgenus *Allodia* s. str.

Allodia (Allodia) anglofennica Edwards, 1921

Bechev, 1998: 61; 1997: 15; 2000: 60.

Allodia (Allodia) lugens Wiedemann, 1817
Bechev, 1997: 15; 1998: 61; 2000: 60.

Allodia (Allodia) ornaticollis (Meigen, 1818)

Bechev, 1997: 15; 1998: 62; 2000: 60.

Allodia (Allodia) truncata Edwards, 1921

Bechev, 1997: 15; 1998: 62; 2000: 60.

Subgenus *Brachycampta* Winnertz, 1863

Allodia (Brachycampta) alternans (Zetterstedt, 1838)

Bechev, 1997: 15; 1998: 62; 2000: 60.

Allodia (Brachycampta) barbata (Lundström, 1909)

Bechev, 1997: 15; 1998: 62; 2000: 60.

Allodia (Brachycampta) grata (Meigen, 1830)

Bechev, 1997: 15; 1998: 62; 2000: 60.

Allodia (Brachycampta) neglecta Edwards, 1925

Bechev, 1997: 15; 1998: 62; 2000: 60.

Allodia (Brachycampta) pistillata (Lundström, 1911)

Bechev, 1997: 15; 1998: 62; 2000: 60.

Allodia (Brachycampta) retracta (Plassmann, 1977)

Bechev, 1997: 15; 1998: 62; 2000: 60.

Allodia (Brachycampta) silvatica (Landrock, 1912)

Bechev, 1997: 15; 1998: 63; 2000: 60.

Allodia (Brachycampta) triangularis (Strobl, 1895)

Bechev, 1997: 15; 1998: 63; 2000: 60.

Genus *Allodipsis* Tuomikoski, 1966

Subgenus *Allodipsis* s. str.

Allodipsis (Allodipsis) domestica (Meigen, 1830)

Bechev, 1990a: 87; 1997: 15; 2000: 60.

Allodiopsis (Allodiopsis) pseudodomestica (Lackschewitz, 1937)
Bechev, 1990a: 87; 1997: 15; 2000: 60.

Allodiopsis (Allodiopsis) rustica (Edwards, 1941)
Bechev, 1991a: 27; 1997: 15; 2000: 60.

Subgenus *Notolopha* Tuomikoski, 1966

Allodiopsis (Notolopha) cristata (Staeger, 1840)
Bechev, 1991a: 28; 1997: 15; 2000: 60.

Genus *Anatella* Winnertz, 1863

Anatella ciliata Winnertz, 1863
Bechev, 1989a: 156; 1997: 15; 2000: 60.

Anatella lenis Dziedzicki, 1923
Bechev, 1990a: 86; 1997: 15; 2000: 60.

Anatella minuta (Staeger, 1840)
Bechev, 1989a: 156; 1997: 15; 2000: 60.

Anatella novata Dziedzicki, 1923
Bechev, 1990a: 86; 1997: 15; 2000: 60.

Anatella simpatica Dziedzicki, 1923
Bechev, 1989a: 156; 1997: 15; 2000: 60.

Anatella turi Dziedzicki, 1923
Bechev, 1990a: 86; 1997: 15; 2000: 60.

Genus *Brevicornu* Marshall, 1896
Subgenus *Brevicornu* s. str.

Brevicornu (Brevicornu) fissicauda (Lundström, 1911)
Bechev, 1991a: 28; 1997: 15; 2000: 60.

Brevicornu (Brevicornu) griseicolle (Staeger, 1840)
Bechev, 1991a: 28; 1997: 15; 2000: 61.

Brevicornu (Brevicornu) ruficorne (Meigen, 1838)
Bechev, 1991a: 28; 1997: 15; 2000: 61.

Brevicornu (Brevicornu) sericoma (Meigen, 1830)
Bechev, 1991a: 28; 1997: 15; 2000: 61.

Brevicornu (Brevicornu) spathulatum (Lundström, 1911)
Bechev, 1991a: 28; 1997: 15; 2000: 61.

Genus *Cordyla* Meigen, 1803

Cordyla brevicornis (Staeger, 1840)
Nedelkov, 1912: 179; Bechev, 1985a: 39; 1997: 15; 2000: 61.

Cordyla crassicornis Meigen, 1818
Bechev, 1996a: 20; 1997: 15; 2000: 61.

Cordyla fasciata Meigen, 1830
Bechev, 1996a: 20; 1997: 16.

Cordyla fissa Edwards, 1925
Bechev, 1996a: 20; 1997: 16; 2000: 61.

Cordyla flaviceps (Staeger, 1840)
Bechev, 1996a: 20; 1997: 16; 2000: 61.

Cordyla fusca Meigen, 1804
Bechev, 1996a: 20; 1997: 16; 1999a: 38; 2000: 61.

Cordyla murina Winnertz, 1863
Bechev, 1996a: 20; 1997: 16; 2000: 61.

Cordyla nitens Winnertz, 1863
Bechev, 1996a: 20; 1997: 16; 1999a: 38; 2000: 61.

Cordyla nitidula Edwards, 1925
Bechev, 1996a: 20; 1997: 16; 1999a: 38; 2000: 61.

Cordyla semiflava (Staeger, 1840)
Bechev, 1996a: 20; 1997: 16; 2000: 61.

Genus *Exechia* Winnertz, 1863

Exechia bicincta (Staeger, 1840)
Bechev, 1989a: 156; 1989b: 162; 1997: 16; 1999a: 38; 2000: 61.

- Exechia dizona* Edwards, 1925
Bechev, 1990a: 86; 1997: 16; 2000: 61.
- Exechia dorsalis* (Staeger, 1840)
Bechev, 1989a: 157; 1997: 16; 2000: 61.
- Exechia exigua* Lundström, 1909
Bechev, 1989a: 157; 1997: 16; 2000: 61.
- Exechia festiva* Winnertz, 1863
Bechev, 1989a: 157; 1997: 16; 2000: 61.
- Exechia fulva* Santos Abreu, 1920
E. peyerimhoffi Burghel-Balacesso: Bechev, 1986a: 73. *E. fulva*: Bechev, 1997: 16; 1999a: 38; 2000: 61.
- Exechia fusca* (Meigen, 1804)
E. lateralis (Meigen): Ioakimov, 1889: 878. *E. fusca*: Bechev, 1985a: 38; 1989b: 162; 1997: 16; 1999a: 38; 2000: 61.
- Exechia lundstroemi* Landrock, 1923
Bechev, 1989a: 157; 1997: 16; 1999a: 39; 2000: 61.
- Exechia maculipennis* (Stannius, 1831)
Bechev, 1994: 27; 1997: 16; 2000: 61.
- Exechia parva* Lundström, 1909
Bechev, 1989a: 157; 1997: 16; 2000: 61.
- Exechia pseudocincta* Strobl, 1909
Bechev, 1989a: 157; 1997: 16; 2000: 61.
- Exechia separata* Lundström, 1912
Bechev, 1989a: 158; 1989b: 162; 1997: 16; 1999a: 39; 2000: 61.
- Exechia seriata* (Meigen, 1830)
Bechev, 1986a: 73; 1989b: 162; 1997: 16; 1999a: 39; 2000: 61.
- Genus *Exechiopsis* Tuomikoski, 1966
Subgenus *Exechiopsis* s.str.
- Exechiopsis (Exechiopsis) clypeata* (Lundström, 1911)
Bechev, 1990a: 86; 1997: 16; 2000: 61.
- Exechiopsis (Exechiopsis) dumitrescui* (Burghel-Balacesso, 1972)
Bechev, 1990a: 86; 1997: 16; 2000: 61.
- Exechiopsis (Exechiopsis) furcata* (Lundström, 1912)
Exechia furcata: Burghel-Balacesso, 1966: 303. *Exechiopsis furcata*: Bechev, 1985a: 38; 1997: 16; 2000: 61.
- Exechiopsis (Exechiopsis) indecisa* (Walker, 1856)
Exechia indecisa: Burghel-Balacesso, 1966: 304. *Exechiopsis indecisa*: Bechev, 1985a: 38; 1997: 16; 2000: 61.
- Exechiopsis (Exechiopsis) intersecta* (Meigen, 1818)
Exechia intersecta: Burghel-Balacesso, 1966: 304. *Exechiopsis intersecta*: Bechev, 1985a: 38; 1997: 16; 2000: 61.
- Exechiopsis (Exechiopsis) lackschewitziana* Stackelberg, 1948
Bechev, 1996a: 20; 1997: 16.
- Exechiopsis (Exechiopsis) magnicauda* (Lundström, 1911)
Bechev, 1986a: 73; 1997: 16; 2000: 61.
- Exechiopsis (Exechiopsis) subulata* (Winnertz, 1863)
Bechev, 1989a: 158; 1997: 16; 2000: 61.
- Exechiopsis (Exechiopsis) unguiculata* (Lundström, 1911)
Bechev, 1989a: 158; 1997: 16; 2000: 61.
- Exechiopsis (Exechiopsis) vizzavonensis* (Edwards, 1928)
Exechia vizzavonensis: Burghel-Balacesso, 1966: 304. *Exechiopsis vizzavonensis*: Bechev, 1985a: 38; 1997: 16; 2000: 61.
- Subgenus *Xenexechia* Tuomikoski, 1966
- Exechiopsis (Xenexechia) crucigera* (Lundström, 1909)
Bechev, 1989a: 158; 1997: 16; 2000: 61.
- Exechiopsis (Xenexechia) davatchii* (Matile, 1969)
Bechev, 1989a: 158; 1997: 16; 2000: 61.
- Exechiopsis (Xenexechia) leptura* (Meigen, 1830)
Bechev, 1991a: 27; 1997: 16; 2000: 61.

Genus *Pseudexechia* Tuomikoski, 1966

Pseudexechia trisignata (Edwards, 1913)
Bechev, 1989a: 158; 1997: 16; 2000: 61.

Genus *Pseudobrachypeza* Tuomikoski, 1966

Pseudobrachypeza helvetica (Walker, 1856)
Bechev, 1994: 27; 1997: 16; 2000: 61.

Genus *Pseudorymosia* Tuomikoski, 1966

Pseudorymosia fovea (Dziedzicki, 1909)
Bechev, 1990a: 87; 1997: 16; 2000: 62.

Genus *Rymosia* Winnertz, 1863

Rymosia affinis Winnertz, 1863

R. gracilipes Dziedzicki: Burghel-Balacesso, 1966: 306. *R. affinis*: Bechev, 1985a: 38; 1997: 17; 2000: 62.

Rymosia fasciata (Meigen, 1804)

Rimosia festiva Winnertz: Bechev, 1989a: 158. *Rymosia fasciata*: Bechev, 1997: 17; 2000: 62.

Rymosia placida Winnertz, 1863

Bechev, 1990a: 86; 1997: 17; 2000: 62.

Rymosia setiger Dziedzicki, 1910

Bechev, 1990a: 86; 1997: 17; 2000: 62.

Rymosia spinipes Winnertz, 1863

Bechev, 1990a: 86; 1997: 17; 2000: 62.

Rymosia virens Dziedzicki, 1910

Bechev, 1990a: 86; 1997: 17; 2000: 62.

Genus *Synplasta* Skuse, 1890

Synplasta exogitata (Dziedzicki, 1910)

Allodiopsis (G.) *exogitata*: Bechev, 1991a: 27; 1997: 15; 2000: 60.

Synplasta sintenisi (Lackschewitz, 1937)

Allodiopsis (G.) *sintenisi*: Bechev, 1991a: 28; 1997: 15; 2000: 60.

96

Genus *Tarnania* Tuomikoski, 1966

Tarnania dziedzickii (Edwards, 1941)

Rhymosia dziedzickii: Burghel-Balacesso, 1966: 304, 305. *Tarnania dziedzickii*: Bechev, 1985a: 39; 1997: 17; 2000: 62.

Tarnania fenestralis (Meigen, 1818)

Rymosia fenestralis: Burghel-Balacesso, 1966: 302, 305. *Tarnania fenestralis*: Bechev, 1985a: 39; 1997: 17; 1999a: 39; 2000: 62.

Tarnania nemoralis (Edwards, 1941)

Bechev, 1991a: 27; 1997: 17; 2000: 62.

Tribe *Mycetophilini*

Genus *Dynatosoma* Winnertz, 1863

Dynatosoma fuscicorne (Meigen, 1818)

Bechev, 1991a: 28; 1997: 17; 2000: 62.

Dynatosoma majus Landrock, 1912

Bechev, 1986b: 58; 1997: 17; 2000: 62.

Dynatosoma nigromaculatum Lundström, 1913

Bechev, 1994: 26; 1997: 17.

Genus *Epicrypta* Winnertz, 1863

Epicrypta torquata Matile, 1977

Bechev, 1994: 26; 1997: 17; 2000: 62.

Genus *Mycetophila* Meigen, 1803

Mycetophila abiecta (Laštovka, 1963)

Bechev, 1991a: 28; 1997: 17; 2000: 62.

Mycetophila adumbrata Mik, 1884

Bechev, 1991a: 28; 1997: 17; 2000: 62.

Mycetophila alea Laffoon, 1965

Bechev, 1989b: 162; 1991a: 28; 1997: 17; 1999a: 39; 2000: 62.

13.

97

Mycetophila bialorussica Dziedzicki, 1884
Bechev, 1991a: 28; 1997: 17; 2000: 62.

Mycetophila blanda Winnertz, 1863
Bechev, 1989b: 162; 1991a: 28; 1997: 17; 1999a: 39; 2000: 62.

Mycetophila caudata Staeger, 1840
Bechev, 2001: 7.

Mycetophila confluens Dziedzicki, 1884
Bechev, 2000: 62.

Mycetophila czizeki Landrock, 1911
Bechev, 1991a: 28; 1997: 17; 2000: 62.

Mycetophila devioides Bechev, 1988
Bechev, 1988a: 185; 1997: 17; 2000: 62.

Mycetophila distigma Meigen, 1830
Bechev, 1991a: 28; 1997: 17; 2000: 62.

Mycetophila edwardsi Lundström, 1913
Bechev, 1994: 26; 1997: 17; 2000: 62.

Mycetophila formosa Lundström, 1911
Bechev, 1991a: 28; 1997: 17; 2000: 62.

Mycetophila fraterna Winnertz, 1863
Bechev, 1991a: 28; 1997: 17; 2000: 62.

Mycetophila fungorum (De Geer, 1776)
M. punctata Meigen: Nedelkov, 1912: 179. *M. fungorum*: Bechev, 1985a: 39; 1989b: 162; 1997: 17; 1999a: 39; 2000: 62.

Mycetophila gibbula Edwards, 1925
Bechev, 1991a: 28; 1997: 17; 2000: 62.

Mycetophila hycania Laštovka et Matile, 1969
Bechev, 1991a: 28; 1997: 17; 2000: 62.

Mycetophila lamellata Lundström, 1911
Bechev, 1991a: 29; 1997: 17; 2000: 62.

Mycetophila lastovkai Caspers, 1984
Bechev, 1991a: 29; 1997: 17; 2000: 62.

Mycetophila luctuosa Meigen, 1830
Bechev, 1989b: 162; 1991a: 29; 1997: 17; 1999a: 39; 2000: 62.

Mycetophila lunata Meigen, 1804
Bechev, 1994: 26; 1997: 17.

Mycetophila marginata Winnertz, 1863
Bechev, 1985a: 39; 1997: 17; 2000: 62.

Mycetophila mitis (Johannsen, 1912)
Bechev, 1996a: 21; 1997: 18; 2000: 62.

Mycetophila morosa Winnertz, 1863
Bechev, 1994: 26; 1997: 18; 2000: 62.

Mycetophila occultans Lundström, 1913
Bechev, 1994: 26; 1997: 18; 2000: 62.

Mycetophila ocellus Walker, 1848
Bechev, 1991a: 29; 1997: 18; 2000: 62.

Mycetophila ornata Stephens, 1829
Fungivora ornata: Burghete-Balacesco, 1966: 304. *Mycetophila ornata*: Bechev, 1985a: 39; 1997: 18; 2000: 62.

Mycetophila pumila Winnertz, 1863
Bechev, 1994: 26; 1997: 18; 2000: 62.

Mycetophila scotica Edwards, 1941
Bechev, 1991a: 29; 1997: 18; 2000: 63.

Mycetophila sigillata Dziedzicki, 1884
Bechev, 1991a: 29; 1997: 18; 2000: 63.

Mycetophila signata Meigen, 1830
Nedelkov, 1912: 179; Bechev, 1985a: 39; 1997: 18; 2000: 63.

Mycetophila signatoides Dziedzicki, 1884
Bechev, 1991a: 29; 1997: 18; 2000: 63.

Mycetophila spectabilis Winnertz, 1863
Bechev, 1991a: 29; 1997: 18; 2000: 63.

Mycetophila stolidia Walker, 1856
Bechev, 1991a: 29; 1997: 18; 2000: 63.

Mycetophila stylata (Dziedzicki, 1884)
Bechev, 1991a: 29; 1997: 18; 2000: 63.

Mycetophila tridentata Lundström, 1911
Bechev, 1991a: 29; 1997: 18; 2000: 63.

Mycetophila trinotata Staeger, 1840
Bechev, 1994: 26; 1997: 18; 2000: 63.

Mycetophila unguiculata Lundström, 1913
Bechev, 1994: 26; 1997: 18; 2000: 63.

Mycetophila vittipes Zetterstedt, 1852
Bechev, 1991a: 29; 1997: 18; 2000: 63.

Mycetophila v-nigrum Lundström, 1913
Bechev, 1994: 26; 1997: 18; 2000: 63.

Genus *Phronia* Winnertz, 1863

Phronia basalis Winnertz, 1863
Bechev, 1999b: 39.

Phronia biarcuata (Becker, 1908)
P. nitidiventris: Bechev, 1999b: 40; 2000: 63.

Phronia cinerascens Winnertz, 1863
Bechev, 1986a: 73; 1997: 18; 1999b: 39; 2000: 63.

Phronia conformis (Walker, 1856)
Bechev, 1999b: 40; 2000: 63.

Phronia egregia Dziedzicki, 1889
Bechev, 1999b: 40; 2000: 63.

Phronia forcipata Winnertz, 1863
Bechev, 1999b: 40; 2000: 63.

Phronia mutabilis Dziedzicki, 1889
Bechev, 1999b: 40; 2000: 63.

Phronia nitidiventris (van der Wulp, 1858)
P. vitiosa Winnertz: Bechev, 1999b: 41; 2000: 63.

Phronia notata Dziedzicki, 1889
Bechev, 1999b: 40; 2000: 63.

Phronia obtusa Winnertz, 1863
Bechev, 1999b: 40; 2000: 63.

Phronia signata Winnertz, 1863
P. austriaca Winnertz: Bechev, 1999b: 39; 2000: 63.

Phronia strenua Winnertz, 1863
P. flavicollis Winnertz: Bechev, 1999b: 40; 2000: 63.

Phronia tenuis Winnertz, 1863
Bechev, 1999b: 40; 2000: 63.

Genus *Platurocypta* Enderlein, 1910

Platurocypta punctum (Stannius, 1831)
Bechev, 1994: 26; 1997: 18; 2000: 63.

Genus *Sceptonia* Winnertz, 1863

Sceptonia cryptocauda Chandler, 1991
Bechev, 1994: 26; 1995: 10; 1997: 18; 2000: 63.

Sceptonia flavipuncta Edwards, 1925
Bechev, 1994: 26; 1995: 10; 1997: 18; 2000: 63.

Sceptonia humerella Edwards, 1941
Bechev, 1994: 26; 1995: 11; 1997: 18; 2000: 63.

Sceptonia membranacea Edwards, 1925
Bechev, 1994: 27; 1995: 12; 1997: 18; 2000: 63.

- Sceptonia nigra* (Meigen, 1804)
Bechev, 1994: 27; 1995: 12; 1997: 19; 2000: 63.
- Sceptonia pilosa* Bukowski, 1934
Bechev, 1994: 27; 1995: 12; 1997: 19; 2000: 63.
- Sceptonia pughi* Chandler, 1991
Bechev, 1994: 27; 1995: 13; 1997: 19; 2000: 63.
- Sceptonia tenuis* Edwards, 1925
Bechev, 1994: 27; 1995: 13; 1997: 19; 2000: 63.
- Genus *Trichonta* Winnertz, 1863
- Trichonta apicalis* Strobl, 1898
Bechev, 1990a: 87; 1997: 19; 2000: 63.
- Trichonta beata* Gagné, 1981
Bechev, 1996a: 21; 1997: 19; 2000: 63.
- Trichonta clavigera* Lundström, 1913
Bechev, 1991a: 28; 1997: 19.
- Trichonta conjugens* Lundström, 1909
Bechev, 1990a: 87; 1997: 19; 2000: 63.
- Trichonta falcata* Lundström, 1911
Bechev, 1990a: 87; 1997: 19; 2000: 63.
- Trichonta fragilis* Gagné, 1981
Bechev, 1990a: 87; 1997: 19; 2000: 63.
- Trichonta fusca* Landrock, 1918
Bechev, 1990a: 87; 1997: 19; 2000: 63.
- Trichonta girschneri* Landrock, 1912
Bechev, 1990a: 87; 1997: 19; 2000: 63.
- Trichonta melanura* (Staeger, 1840)
Bechev, 1990a: 87; 1997: 19; 2000: 63.

- Trichonta subfusca* Lundström, 1909
Bechev, 1990a: 87; 1997: 19; 2000: 64.
- Trichonta submaculata* (Staeger, 1840)
Bechev, 1990a: 88; 1997: 19; 2000: 64.
- Trichonta terminalis* (Walker, 1856)
Bechev, 1990a: 88; 1997: 19; 2000: 64.
- Trichonta venosa* (Staeger, 1840)
Bechev, 1990a: 88; 1997: 19; 2000: 64.
- Trichonta vitia* (Meigen, 1830)
Bechev, 1990a: 88; 1997: 19; 2000: 64.
- Trichonta vulgaris* Loew, 1869
Bechev, 1990a: 88; 1997: 19; 2000: 64.
- Genus *Zygomomyia* Winnertz, 1863
- Zygomomyia humeralis* (Wiedemann, 1817)
Bechev, 1996a: 21; 1997: 19; 2000: 64.
- Zygomomyia pseudohumeralis* Caspers, 1980
Bechev, 1996a: 21; 1997: 19; 2000: 64.
- Zygomomyia semifusca* (Meigen, 1818)
Bechev, 1996a: 21; 1997: 19; 2000: 64.
- Zygomomyia valida* Winnertz, 1863
Bechev, 1994: 27; 1997: 19.
- Subfamily MYCOMYINAE
Genus *Mycomomyia* Rondani, 1856
Subgenus *Cymomyia* Väisänen, 1984
- Mycomomyia (Cymomyia) circumdata* (Staeger, 1840)
Väisänen, 1984: 273; Bechev, 1985a: 37; 1997: 12; 2000: 58.

Subgenus *Mycomya* s. str.

- Mycomya (Mycomya) bicolor* (Dziedzicki, 1885)
Väisänen, 1984: 228; Bechev, 1985a: 37; 1997: 12; 2000: 58.
- Mycomya (Mycomya) cinerascens* (Macquart, 1826)
Väisänen, 1984: 175; Bechev, 1985a: 37; 1997: 12; 2000: 58.
- Mycomya (Mycomya) denmax* Väisänen, 1979
Väisänen, 1984: 85; Bechev, 1985a: 37; 1997: 12; 2000: 58.
- Mycomya (Mycomya) digitifera* (Edwards, 1925)
Väisänen, 1984: 96; Bechev, 1985a: 37; 1997: 12; 2000: 58.
- Mycomya (Mycomya) disa* Väisänen, 1984
Bechev, 1996a: 19; 1997: 12.
- Mycomya (Mycomya) fasciata* (Zetterstedt, 1838)
Bechev, 1989a: 154; 1997: 12; 2000: 58.
- Mycomya (Mycomya) flavicollis* (Zetterstedt, 1852)
Väisänen, 1984: 230; Bechev, 1985a: 37; 1997: 12; 2000: 58.
- Mycomya (Mycomya) marginata* (Meigen, 1818)
Väisänen, 1984: 234; Bechev, 1985a: 38; 1997: 12; 2000: 58.
- Mycomya (Mycomya) neohyalinata* Väisänen, 1984
Väisänen, 1984: 145; Bechev, 1989a: 154; *M. hyalinata* (Meigen): Bechev, 1985a: 38; *M. neohyalinata*:
Bechev, 1997: 12; 2000: 58.
- Mycomya (Mycomya) occultans* (Winnertz, 1863)
Bechev, 1989a: 155; 1997: 12; 2000: 58.
- Mycomya (Mycomya) parva* (Dziedzicki, 1885)
Bechev, 1989a: 155; 1997: 12; 2000: 58.
- Mycomya (Mycomya) prominens* (Lundström, 1913)
Väisänen, 1984: 61; 1997: 12.
- Mucomya (Mycomya) ruficollis* (Zetterstedt, 1852)
Bechev, 1991a: 27; 1997: 12.

- Mycomya (Mycomya) sigma* Johannsen, 1910
Bechev, 1989a: 155; 1997: 12; 2000: 58.
- Mycomya (Mycomya) tenuis* (Walker, 1856)
Väisänen, 1984: 116; Bechev, 1985a: 38; 1997: 12; 2000: 58.
- Mycomya (Mycomya) tridens* (Lundström, 1911)
Bechev, 1989a: 155; 1997: 12; 2000: 58.
- Mycomya (Mycomya) vittiventris* (Zetterstedt, 1852)
Väisänen, 1984: 103; Bechev, 1985a: 38; 1997: 12; 2000: 58.
- Mycomya (Mycomya) wankowiczii* (Dziedzicki, 1885)
Väisänen, 1984: 216; Bechev, 1985a: 38; 1997: 12; 2000: 58.
- Mycomya (Mycomya) winnertzi* (Dziedzicki, 1885)
Bechev, 1989a: 155; 1997: 12; 2000: 58.
- Subgenus *Mycomyopsis* Väisänen, 1984
- Mycomya (Mycomyopsis) penicillata* (Dziedzicki, 1885)
Bechev, 1994: 25; 1997: 12.
- Mycomya (Mycomyopsis) trilineata* (Zetterstedt, 1838)
M. neolitioralis Väisänen: Bechev, 1989a: 155; *M. trilineata*: Bechev, 1997: 12; 2000: 58.
- Subgenus *Neomycomya* Väisänen, 1984
- Mycomya (Neomycomya) fimbriata* (Meigen, 1818)
Bechev, 1996a: 20; 1997: 12.
- Genus *Neoempheria* Osten Sacken, 1878
- Neoempheria bimaculata* (von Roser, 1840)
Bechev, 1990a: 85; 1997: 12; 2000: 58.
- Neoempheria lineola* (Meigen, 1818)
Bechev, 1986b: 57; 1997: 12; 2000: 58.
- Neoempheria pictipennis* (Haliday, 1833)
Bechev, 1989a: 155; 1997: 12; 2000: 58.

Neoempheria proxima (Winnertz, 1863)
Bechev, 1986a: 72; 1997: 12; 2000: 58.

Neoempheria striata (Meigen, 1818)
Nedelkov, 1912: 179; Bechev, 1985a: 38; 1997: 12; 2000: 58.

Subfamily SCIOPHILINAE
Genus *Acnemia* Winnertz, 1863

Acnemia amoena Winnertz, 1863
Bechev, 2001: 7.

Acnemia angusta Zaitzev, 1982
Bechev, 2001: 7.

Acnemia falcata Zaitzev, 1982
Bechev, 1986a: 73; 1997: 12; 2000: 58.

Acnemia longipes Winnertz, 1863
Bechev, 1986a: 73; 1997: 12; 2000: 58.

Acnemia nitidicollis (Meigen, 1818)
Bechev, 1986a: 73; 1997: 12; 2000: 58.

Acnemia vratzatica Bechev, 1985
Bechev, 1985b: 35; 1997: 12; 2000: 58.

Genus *Anacitleia* Meunier, 1904

Anacitleia beshovskii Bechev, 1990
Bechev, 1990b: 68; 1997: 13; 2000: 58.

Genus *Azana* Walker, 1856
Subgenus *Azana* s. str.

Azana (Azana) anomala (Staeger, 1840)
Bechev, 1991a: 27; 1997: 13.

Azana (Azana) bulgarensis Coher, 1995
Coher, 1995: 87. *Remark.* According to Chandler & Blasco-Zumeta (2001) it seems that *A. bulgarensis* is identical with *A. flavohalterata* Strobl in Czerny & Strobl, 1909. They write also that Coher was going to publish the synonymy in a work of his in the future.

106

Genus *Megalopelma* Enderlein, 1911

Megalopelma nigroclavatum (Strobl, 1910)
Bechev, 1990a: 85; 1997: 13; 2000: 58.

Genus *Monoclona* Mik, 1886

Monoclona rufilatera (Walker, 1837)
Bechev, 1986b: 57; 1997: 13; 2000: 58.

Genus *Neuratelia* Rondani, 1856

Neuratelia minor (Lundström, 1912)
Bechev, 1986a: 72; 1997: 13; 2000: 59.

Neuratelia nemoralis (Meigen, 1818)
Bechev, 1986b: 57; 1997: 13; 2000: 59.

Genus *Paratinia* Mik, 1874

Paratinia sciarina Mik, 1874
Bechev, 1991a: 27; 1997: 13.

Genus *Phthinia* Winnertz, 1863

Phthinia humilis Winnertz, 1863
Bechev, 1986a: 73; 1997: 13; 2000: 59.

Phthinia winnertzi Mik, 1869
Bechev, 1986b: 57; 1997: 13; 2000: 59.

Genus *Polylepta* Winnertz, 1863

Polylepta guttiventris (Zetterstedt, 1852)
Bechev, 1985a: 38; 1990c: 180; 1997: 13; 2000: 59.

Polylepta meridionalis Bechev, 1990
Bechev, 1990: 182; 1997: 13.

Sciophila baltica Zaitzev, 1982
Bechev, 1986a: 73; 1997: 13; 2000: 59.

Sciophila fenestella Curtis, 1837
Bechev, 2001: 7.

Sciophila hirta Meigen, 1818
Bechev, 1986a: 73; 1997: 13; 2000: 59.

Sciophila lutea Macquart, 1826
Bechev, 1986a: 73; 1989b: 161; 1997: 13; 1999a: 38; 2000: 59.

Sciophila nonnisilva Hutson, 1979
Bechev, 1986a: 73; 1997: 13; 2000: 59.

Sciophila quadrierga Hutson, 1979
Bechev, 1986a: 73; 1997: 13; 2000: 59.

Sciophila rufa Meigen, 1830
Bechev, 1986b: 57; 1986c: 60; 1989b: 161; 1997: 13; 1999a: 38; 2000: 59; Kolarov, Bechev, 1995: 18.

Sciophila zaitzevi Bechev, 1988
Bechev, 1988b: 187; 1997: 13; 2000: 59.

Genus *Speolepta* Edwards, 1925

Speolepta leptogaster (Winnertz, 1863)
Burghelle-Balacesso, 1966: 304; Hazelton, 1970: 36; Bechev, 1985a: 38; 1997: 14; 2000: 59.

REFERENCES

- Bechev, D., 1985a. The species of Superfamily Mycetophiloidea (Diptera) Distributed in Bulgaria. – Acta zool. bulg., 27: 36-40. [in Bulgarian]
- Bechev, D., 1985b. *Acnemia vratzatica* n. sp. from Bulgaria (Diptera, Mycetophiliidae). – Reichenbachia Mus. Tierk. Dresden, 23, Nr. 8: 35-36.
- Bechev, D., 1986a. New species from Superfamily Mycetophiloidea (Diptera) for Bulgaria Fauna. – Acta zool. bulg., 30: 72-74. [in Bulgarian]
- Bechev, D., 1986b. New species from the Superfamily Mycetophiloidea (Diptera) for Bulgaria Fauna. II. – Acta zool. bulg., 32: 56-59. [in Bulgarian]
- Bechev, D., 1986c. *Sciophila rufa* Meigen (Diptera, Mycetophiliidae) as a Host for *Orthocentrus stigmaticus* Holmgren (Hymenoptera, Ichneumonidae). – Acta zool. bulg., 32: 60-61. [in Bulgarian]
- Bechev, D., 1988a. Two New Species of Mycetophiliidae from Bulgaria (Insecta, Diptera). – Reichenbachia Mus. Tierk. Dresden, 25, Nr. 38: 185-186.
- Bechev, D., 1988b. *Sciophila zaitzevi* n.sp. from Bulgaria (Insecta, Diptera, Mycetophiliidae). – Reichenbachia Mus. Tierk. Dresden, 25, Nr. 39: 187-188.
- Bechev, D., 1989a. New species Mycetophiloidea (Diptera) for Bulgarian fauna. III. – Trav. Sci. Univ. Plovdiv, Biologie, 27, 6: 153-159. [in Bulgarian]
- Bechev, D., 1989b. Larvae of Mycetophiloidea (Diptera) established in fungi in Bulgaria. – Trav. Sci. Univ. Plovdiv, Biologie, 27, 6: 161-163. [in Bulgarian]
- Bechev, D., 1989c. *Monocentrotro matilei* n.sp. from Bulgaria and Algeria (Insecta, Diptera: Keroplatidae). – Reichenbachia Mus. Tierk. Dresden, 26, Nr. 30: 173-174.
- Bechev, D., 1990a. New species Mycetophiloidea (Diptera) to the Bulgarian fauna. IV. – Trav. Sci. Univ. Plovdiv, Biologie, 28, 6: 85-88. [in Bulgarian]
- Bechev, D., 1990b. Recent Holarctic species of the genus *Anacliteia* Meunier (Insecta, Diptera: Mycetophiliidae). – Reichenbachia Mus. Tierk. Dresden, 28, Nr. 13: 67-71.
- Bechev, D., 1990c. Review of the Holarctic Species of Genus *Polylepta* Winnertz (Insecta, Diptera: Mycetophiliidae). – Ent. Abh. Staat. Mus. Tierk. Dresden, 53, 12: 179-184.
- Bechev, D., 1991a. New species Mycetophiloidea (Diptera) to the Bulgarian fauna. V. – Trav. Sci. Univ. Plovdiv, Biologie, 29, 6: 27-30. [in Bulgarian]
- Bechev, D., 1991b. *Macrocera gemaea* sp. n. from Bulgaria (Insecta, Diptera: Mycetophiloidea). – Reichenbachia Mus. Tierk. Dresden, 28, Nr. 35: 185-186.
- Bechev, D., 1992a. On the type specimens of *Macrocera nigricoxa* Winnertz 1863 and *Macrorrhyncha exempla* (Plassmann 1978) (Insecta: Diptera: Mycetophiloidea). – Senckenbergiana biol., 72 (4/6): 317-320.
- Bechev, D., 1992b. A new species of Genus *Macrorrhyncha* (Diptera: Keroplatidae) from Bulgaria. – Acta zool. bulg., 45: 61-62.

