

A COMPARATIVE LIST OF THE LEAF BEETLES OF THE BALKAN COUNTRIES (COLEOPTERA: CHRYSOMELIDAE)

Blagoy A. Gruev

*Department of Zoology, University of Plovdiv,
Tzar Assen Street 24, BG-4000, Bulgaria*

INTRODUCTION

VIKTOR APFELBECK (1912, 1914, 1916) published for the first time a complete faunistic information about all the leaf beetle taxa established in the Balkan Peninsula. He summarized the literature data and brought a large contribution of his own to the knowledge of the family Chrysomelidae including the results of his expeditions in a number of Balkan countries. Later works by various authors on leaf beetles of separate parts of the peninsula have been appeared, most extensive of which are those of: ROUBAL (1931-1934), NOVAK (1952, 1970), MÜLLER (1953), MOHR (1965, 1966), NONVEILLER (1978, 1984), GRUEV (1979, 1990, 1992, 1998), GRUEV and TOMOV (1984, 1986, 1998), BRELIH, DÖBERL, DROVENIK and PIRNAT (2003).

The total number of the Chrysomelidae taxa of the Balkan Peninsula after Apfelbeck is 477. The present number (having in mind newly recorded and newly described taxa as well as synonyms and other nomenclatorial changes) of the established taxa is 791. Between 120 and 130 have been originally described on the basis of material from the Balkan Peninsula.

LIST OF THE TAXA ESTABLISHED IN THE BALKAN COUNTRIES:

(Abbreviations: **I** – Italy [Balkan part], **Sl** – Slovenia [Balkan part], **Cr** – Croatia [Balkan part], **Mg** – Montenegro, **BH** – Bosnia-Herzegovina, **M** – Republic of Macedonia, **A** – Albania, **G** – Greece, **B** – Bulgaria, **R** – Rumanian Dobrudja, **T** – European Turkey)

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
DONACIINAE												
<i>Donacia aquatica</i> (Linnaeus)	+			+	+	+						
<i>Donacia bicolora</i> Zschach	+		+	+		+		+	+	+		
<i>Donacia brevitarsis</i> Thomson						+						
<i>Donacia cinerea</i> Herbst	+		+			+			+	+		
<i>Donacia clavipes</i> Fabricius			+			+				+		
<i>Donacia crassipes</i> Fabricius	+		+		+	+				+		
<i>Donacia dentata</i> Hoppe	+	+	+	+		+				+	+	
<i>Donacia freyi</i> Goecke								+				
<i>Donacia impressa</i> Paykull	+	+	+	+		+				+	+	
<i>Donacia malinovskiyi</i> Ahrens					+							
<i>Donacia marginata</i> Hoppe	+		+	+		+	+	+	+	+		+
<i>Donacia obscura</i> Gyllenhal					+							
<i>Donacia polita</i> Kunze	+		+	+		+		+	+	+		
<i>Donacia semicuprea</i> Panzer				+		+				+		
<i>Donacia simplex</i> Fabricius	+	+	+	+		+				+		+
<i>Donacia springeri</i> Mueller	+	+										
<i>Donacia thalassina</i> Germar	+	+		+		+			+	+		
<i>Donacia tomentosa</i> Ahrens			+			+				+		
<i>Donacia versicolore</i> a (Brahm)	+		+	+						+		
<i>Donacia vulgaris</i> Zschach			+	+		+				+		
<i>Plateumaris braccata</i> (Scopoli)	+		+	+			+		+	+		
<i>Plateumaris consimilis</i> (Schrank)	+	+	+	+		+	+			+		
<i>Plateumaris rustica</i> (Kunze)	+		+	+		+				+		
<i>Plateumaris sericea</i> (Linnaeus)	+	+		+		+			+	+		+
<i>Plateumaris tenuicornis</i> Balthasar						+						

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
ORSODACNINAE												
<i>Orsodacne cerasi</i> (Linnaeus)		+		+		+			+	+		
<i>Orsodacne humeralis</i> Latreille		+	+	+		+	+	+	+	+	+	+
ZEUGOPHORINAE												
<i>Zeugophora flavicollis</i> (Marsham)			+							+		
<i>Zeugophora scutellaris</i> Suffrian				+		+						
<i>Zeugophora subspinosa</i> (Fabricius)		+	+			+				+		
CRIOCERINAE												
<i>Crioceris asparagi maculipes</i> (Gebler)					+	+	+	+	+	+	+	
<i>Crioceris bicrucata</i> (Sahlberg)									+	+		+
<i>Crioceris duodecimpunctata</i> (Linnaeus)	+	+	+	+		+	+		+	+	+	+
<i>Crioceris macilenta</i> Weise			+						+			
<i>Crioceris paracanthesis</i> (Linnaeus)	+		+		+	+		+	+	+		
<i>Crioceris quatuordecimpunctata</i> (Scopoli)		+	+	+						+	+	
<i>Crioceris quinquepunctata</i> (Scopoli)			+	+		+			+			
<i>Lema cyanella</i> (Linnaeus)	+	+	+	+		+		+	+	+		
<i>Lilioceris faldermanni</i> (Guerin)									+		+	+
<i>Lilioceris lili</i> (Scolii)	+	+	+	+	+	+		+	+	+		
<i>Lilioceris merdigera</i> (Linnaeus)	+	+	+	+	+	+			+	+	+	
<i>Oulema erichsoni</i> (Suffrian)				+		+				+		
<i>Oulema gallaeciana</i> (Heyden)			+	+		+	+			+	+	
<i>Oulema melanopus</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Oulema rufocyanea</i> (Suffrian)	+		+	+		+						
<i>Oulema tristis</i> (Herbst)	+	+	+	+		+				+	+	
CLYTRINAE												
<i>Cheilotoma erythrostroma</i> Faldermann										+		
<i>Cheilotoma musciformis</i> (Goeze)	+	+	+	+	+	+	+			+		
<i>Clytra atraphaxidis</i> (Pallas)								+	+	+	+	+
<i>Clytra binominata</i> Monros									+			
<i>Clytra laeviuscula</i> Ratzeburg	+	+	+	+	+	+	+	+		+	+	
<i>Clytra novempunctata</i> Olivier				+			+	+	+	+		+
<i>Clytra quadripunctata</i> (Linnaeus)		+	+	+	+	+	+	+		+		
<i>Clytra valeriana tetrastigma</i> Schmidt				+			+		+	+	+	+
<i>Coptocephala chalybaea</i> (Germar)		+	+	+						+		
<i>Coptocephala fosullata</i> Lefevre			+		+							
<i>Coptocephala gebleri</i> Gebler							+		+	+	+	
<i>Coptocephala hellenica</i> Warchalowski									+			
<i>Coptocephala rubicunda</i> (Laicharsting)		+	+				+	+		+		
<i>Coptocephala scopolina kuesteri</i> Kraatz			+	+		+			+			
<i>Coptocephala unifasciata</i> (Scolii)		+	+	+		+	+	+	+	+	+	

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Coptocephala zoufali</i> Reitter								+				
<i>Labidostomis balcanica</i> Tomov			+									
<i>Labidostomis cyanicornis</i> (Germar)				+	+	+	+	+		+	+	
<i>Labidostomis graeca</i> Tomov									+			
<i>Labidostomis humeralis</i> (Schneider)			+	+	+	+	+		+	+		
<i>Labidostomis longimana</i> (Linnaeus)	+	+	+	+	+	+	+	+		+		
<i>Labidostomis lucida axillaris</i> Lacordaire	+	+	+	+		+	+		+	+	+	
<i>Labidostomis oertzeni</i> Weise							+		+	+		+
<i>Labidostomis pallidipennis</i> (Gebler)	+	+	+	+	+	+		+		+		+
<i>Labidostomis propinqua</i> Faldermann							+	+	+	+		+
<i>Labidostomis rufa</i> (Waltl)							+		+	+		+
<i>Labidostomis sulcicollis</i> Lacordaire												+
<i>Labidostomis taxicornis</i> (Fabricius)			+									
<i>Labidostomis tridentata</i> (Linnaeus)		+	+			+				+		
<i>Labidostomis tymphristica</i> Tomov									+			
<i>Lachnaia cylindrica</i> (Lacordaire)			+						+			
<i>Lachnaia italica</i> (Weise)	+	+	+									
<i>Lachnaia orientalis</i> (Weise)								+	+			
<i>Lachnaia sexpunctata</i> (Scopoli)		+	+	+	+	+	+	+	+	+	+	+
<i>Lachnaia zoiai</i> Regalin									+			
<i>Macrolenes dentipes</i> (Olivier)	+		+		+	+	+	+	+	+		
<i>Smaragdina affinis</i> (Illiger)		+	+	+	+	+				+		
<i>Smaragdina aurita</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+		+
<i>Smaragdina chloris biornata</i> (Lefevre)				+					+	+		
<i>Smaragdina concolor hypocrita</i> (Lacordaire)				+						+		+
<i>Smaragdina flavicollis</i> (Charpentier)	+		+	+		+				+		
<i>Smaragdina graeca</i> (Lefevre)				+			+		+	+		
<i>Smaragdina limbata</i> (Steven)				+			+		+	+	+	+
<i>Smaragdina salicina</i> (Scopoli)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Smaragdina scutellaris</i> (Lefevre)										+		
<i>Smaragdina tibialis</i> (Brulle)							+	+	+	+		+
<i>Smaragdina xanthaspis</i> (Germar)			+	+	+	+	+	+	+	+	+	+
<i>Tituboea biguttata</i> (Olivier)									+			
<i>Tituboea macropus</i> (Illiger)		+	+			+		+	+	+	+	
CRYPTOCEPHALINAE												
<i>Cryptocephalus apicals</i> Gebler			+	+		+				+	+	

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Cryptocephalus aureolus</i> Ilyrcus Franz		+	+	+	+	+	+		+	+	+	
<i>Cryptocephalus bicolor</i> Eschschultz						+	+			+		
<i>Cryptocephalus biguttatus</i> (Scopol)	+	+	+	+		+				+		
<i>Cryptocephalus bilineatus</i> (Linnaeus)	+		+	+		+				+		
<i>Cryptocephalus biljedekensis</i> Pic										+		
<i>Cryptocephalus bipunctatus</i> (Linnaeus)		+	+	+	+	+	+	+	+	+	+	+
<i>Cryptocephalus bohemi</i> Drapiez											+	
<i>Cryptocephalus chrysopus</i> (Gmelin)	+	+	+	+	+	+				+	+	
<i>Cryptocephalus connexus</i> Olivier	+	+	+	+	+	+	+	+	+	+	+	
<i>Cryptocephalus cordiger</i> (Linnaeus)	+	+	+	+	+	+	+			+		
<i>Cryptocephalus corinthius</i> Pic (? = quadriguttatus Richter)									+			
<i>Cryptocephalus coryli</i> (Linnaeus)	+	+	+	+		+	+			+	+	
<i>Cryptocephalus creticus</i> Suffrian									+			
<i>Cryptocephalus decemmaculatus</i> (Linnaeus)			+									
<i>Cryptocephalus duplicatus</i> Suffrian									+	+	+	
<i>Cryptocephalus elegantulus</i> Gravenhorst	+	+	+	+	+	+	+	+	+	+		
<i>Cryptocephalus exiguus</i> Schneider	+	+	+							+		
<i>Cryptocephalus flavipes</i> Fabricius	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cryptocephalus flexuosus</i> Krynitzki										+	+	
<i>Cryptocephalus frenatus</i> Laicharting	+		+	+		+		+		+		
<i>Cryptocephalus frontalis</i> Marsham										+		
<i>Cryptocephalus fulvus</i> (Goeze)		+	+		+	+		+	+	+		
<i>Cryptocephalus gamma</i> Herrich-Schaeffer										+		
<i>Cryptocephalus gridellii</i> Burlini	+	+	+	+		+				+		
<i>Cryptocephalus hypochoeridis</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+	+	
<i>Cryptocephalus illyricus</i> Olivier								+	+			+
<i>Cryptocephalus imperialis</i> Laicharting	+	+	+	+	+	+	+	+	+	+	+	
<i>Cryptocephalus janthinus</i> Germar	+		+			+	+	+		+		+
<i>Cryptocephalus labiatus</i> (Linnaeus)	+	+	+	+	+	+	+	+		+	+	

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Cryptocephalus laetus</i> Fabricius										+	+	
<i>Cryptocephalus laevicollis</i> Gebler										+		+
<i>Cryptocephalus macellus</i> Suffrian	+		+		+	+	+	+	+	+		+
<i>Cryptocephalus marginatus</i> Fabricius	+	+	+			+				+		
<i>Cryptocephalus moerhingi</i> Weise									+			
<i>Cryptocephalus moraei</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cryptocephalus nitidulus</i> Fabricius		+	+			+						
<i>Cryptocephalus nitidus</i> (Linnaeus)	+	+	+	+	+	+	+			+		
<i>Cryptocephalus ocellatus</i> Drapez	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cryptocephalus ochroleucus</i> Stephens										+		
<i>Cryptocephalus octacosmus</i> Bedel	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cryptocephalus octomaculatus</i> Rossi	+	+	+						+	+		
<i>Cryptocephalus octopunctatus</i> (Scopoli)		+	+	+	+	+				+		
<i>Cryptocephalus parvulus</i> Mueller	+	+	+	+		+		+		+		
<i>Cryptocephalus pini</i> (Linnaeus)		+	+	+		+		+		+		
<i>Cryptocephalus planifrons</i> Weise, 1882 (? = fulvus)										+		
<i>Cryptocephalus planifrons</i> Weise										+		
<i>Cryptocephalus populi</i> Suffrian	+		+			+				+		
<i>Cryptocephalus prusias</i> Suffrian							+			+		+
<i>Cryptocephalus pusillus</i> Fabricius	+	+	+			+		+	+	+		
<i>Cryptocephalus pygmaeus vittula</i> Suffrian	+	+	+	+	+	+	+	+	+	+		
<i>Cryptocephalus quadriguttatus</i> Richter (? = corinthius Pic)		+	+	+		+			?	+		
<i>Cryptocephalus quadripustulatus</i> Gyllenhal		+	+	+	+	+		+		+		
<i>Cryptocephalus</i> <i>quatuordecimmaculatus</i> Schneider				+			+			+		
<i>Cryptocephalus querceti</i> Suffrian				+	+	+				+	+	
<i>Cryptocephalus quinquepunctatus</i> (Scopoli)		+		+		+				+	+	
<i>Cryptocephalus reitteri</i> Weise			+			+						
<i>Cryptocephalus rufipes</i> Goeze			+			+						+
<i>Cryptocephalus rugicollis</i> Olivier			+									
<i>Cryptocephalus saliceti</i> Zebe					+							
<i>Cryptocephalus saucius</i> Suffrian			+									
<i>Cryptocephalus scapularis</i> Suffrian	+	?										
<i>Cryptocephalus schaefferi</i> Schrank			+	+		+	+		+	+	+	

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Cryptocephalus sericeus</i> (Linnaeus) s. str.	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cryptocephalus sericeus zambanellus</i> Marseul			+		+	+						
<i>Cryptocephalus sexpunctatus</i> (Linnaeus)		+	+	+		+				+	+	
<i>Cryptocephalus signatifrons</i> Suffrian		+	+	+		+	+	+				
<i>Cryptocephalus solivagus</i> Leonardi et Sassi										+		
<i>Cryptocephalus strigosus</i> Germar	+	+	+	+		+	+			+		
<i>Cryptocephalus trimaculatus</i> Rossi	+	+	+		+	+	+	+	+	+	+	
<i>Cryptocephalus turcicus</i> Suffrian		+	+		+	+	+	+	+	+	+	+
<i>Cryptocephalus variceps</i> Weise										+		+
<i>Cryptocephalus variegatus</i> Fabricius	+	+										
<i>Cryptocephalus villosulus</i> Suffrian			+			+			+	+		
<i>Cryptocephalus violaceus</i> Laicharting			+	+	+	+	+	+	+	+	+	
<i>Cryptocephalus virens</i> Suffrian	+	+			+	+				+		
<i>Cryptocephalus vittatus</i> Fabricius			+	+				+	+	+	+	
<i>Pachybrachis creticus</i> Weise									+			
<i>Pachybrachis excisus</i> Weise										+		+
<i>Pachybrachis exclusus</i> (Rey) s. str.			+									
<i>Pachybrachis exclusus etruscus</i> Weise	+		+									
<i>Pachybrachis fimbriolatus</i> Suffrian	+		+	+		+		+	+	+	+	
<i>Pachybrachis flexuosus</i> (Weise)	+	+	+			+		+	+			
<i>Pachybrachis freyi</i> Burlini									+			
<i>Pachybrachis hieroglyphicus</i> (Laicharting)	+	+	+	+	+	+	+	+	+	+	+	
<i>Pachybrachis hippophaes</i> (Suffrian)	+	+	+									
<i>Pachybrachis instabilis</i> (Weise)												+
<i>Pachybrachis karamani</i> (Weise)			+									
<i>Pachybrachis limbatus</i> (Menetries)			+		+	+	+	+	+	+		+
<i>Pachybrachis pallidulus suturalis</i> Weise				+	+		+	+				
<i>Pachybrachis scriptidorsum</i> Marseul										+		
<i>Pachybrachis sinuatus</i> (Mulsant et Rey)			+	+	+	+	+	+	+	+		
<i>Pachybrachis tessellatus</i> (Olivier)			+	+	+	+	+	+	+	+		
<i>Stylosomus flavus</i> Marseul							+	+	+			
<i>Stylosomus minutissimus</i> (Germar)			+		+	+						
<i>Stylosomus tamarisci</i> (Herrich-Schaeffer)			+				+		+	+		
LAMPROSOMATINAE												

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Oomorphus concolor</i> (Sturm)	+	+	+	+		+			+	+		
EUMOLPINAE												
<i>Bromius obscurus</i> (Linnaeus) s. str.		+	+	+	+	+	+			+		
<i>Bromius obscurus villosulus</i> (Schrank)	+		+							+		
<i>Colaspidea oblonga</i> Blanchard			+						+			
<i>Colaspidea metallica juengeri</i> Doguet									+			
<i>Colaspinella grandis</i> (Frivaldszky)										+		+
<i>Eumolpus asclepiadeus</i> (Pallas)	+	+	+	+		+		+	+	+		
<i>Macrocoma rubripes</i> (Schaufuss) s. str.									+			
<i>Macrocoma rubripes balcanica</i> (Apfelbeck)										+	+	
<i>Pachnephorus canus</i> Weise								+	+	+		+
<i>Pachnephorus corinthius</i> Fairmaire								+	+			
<i>Pachnephorus graecus</i> Pic									+			
<i>Pachnephorus pilosus</i> (Rossi)	+		+	+		+		+		+	+	
<i>Pachnephorus tessellatus</i> (Duftschmid)	+			+	+	+		+	+	+		
<i>Pachnephorus villosus</i> (Duftschmid)	+	+	+	+	+	+	+	+	+	+	+	
<i>Pales ulema</i> (Germar)			+	+	+	+	+	+	+	+		
<i>Rhodopaea angelovi</i> Gruev et Tomov										+		
CHRYSOMELINAE												
<i>Chrysolina americana</i> (Linnaeus)		+	+		+			+	+			
<i>Chrysolina analis</i> (Linnaeus)			+									
<i>Chrysolina anatolica</i> (Dahlgren)		+	+									
<i>Chrysolina atrovirens minckwitzi</i> (Apfelbeck)					+	+						
<i>Chrysolina atrovirens winneguthi</i> G. Mueller					+			+				
<i>Chrysolina banksi corcyrea</i> Jolivet									+			
<i>Chrysolina bicolor</i> Fabricius)			+						?			
<i>Chrysolina carpathica gabrieli</i> (Weise)										+		
<i>Chrysolina cerealis alternans</i> (Panzer)		+	+	+		+	+	+	+	+	+	
<i>Chrysolina chalcites</i> (Germar)			+						+	+	+	+
<i>Chrysolina coerulans</i> (Scriba)			+	+		+	+			+	+	+
<i>Chrysolina corcyria</i> (Suffrian)			+						+			
<i>Chrysolina cretica</i> (Olivier)									+			
<i>Chrysolina cribrata</i> (Ahrens)	+	+	+		+	+						
<i>Chrysolina cuprina</i> (Duftschmid)			+	+								
<i>Chrysolina didymata</i> (Scriba)			+		+	+		+	+	+		

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Chrysolina fastuosa</i> (Scopoli)	+	+	+	+	+	+	+	+	+	+	+	
<i>Chrysolina fimbrialis</i> (Kuester) s. str.	+	+										
<i>Chrysolina fimbrialis avulsa</i> Bechyne			+		+	+						
<i>Chrysolina geminata</i> (Paykull)	+	+	+	+		+	+			+	+	
<i>Chrysolina globosa</i> (Panzer) s. str.		+	+		+	+						
<i>Chrysolina globosa reprehensa</i> Bechyne										+		
<i>Chrysolina graminis</i> (Linnaeus)	+		+	+		+	+		+	+		
<i>Chrysolina grossa</i> (Fabricius)	+		+		+	+			+			
<i>Chrysolina gypsophilae</i> (Kuester)			+	+	+	+	+	+	+	+	+	
<i>Chrysolina haemoptera</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chrysolina hemisphaerica</i> (Germar) s. str.		+	+			+						
<i>Chrysolina hemisphaerica crassimargo</i> (Germar)		+	+			+						
<i>Chrysolina hemisphaerica croatica</i> (Franz)			+									
<i>Chrysolina hemisphaerica fallaciosa</i> (Mueller)			+	+		+						
<i>Chrysolina hemisphaerica purpurascens</i> (Germar)						+				+		
<i>Chrysolina hemisphaerica sutilis</i> Bechyne						+						
<i>Chrysolina herbacea</i> (Duftschmid)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chrysolina hyperici</i> (Forster)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chrysolina kuesteri</i> (Helliesen)				+	+	+					+	
<i>Chrysolina lapidaria macromela</i> Bechyne						+						
<i>Chrysolina limbata</i> (Fabricius)	+	+	+	+	+	+	+	+		+	+	
<i>Chrysolina lutea</i> (Petagna)						+		+	+			
<i>Chrysolina marcasitica</i> (Germar) s. str.			+			+						
<i>Chrysolina marcasitica dissipabilis</i> Bechyne					+	+						
<i>Chrysolina marginata</i> (Linnaeus)	+	+	+	+	+	+	+			+	+	
<i>Chrysolina milleri</i> Weise			+			+						
<i>Chrysolina notiophila</i> Bechyne										+		
<i>Chrysolina olivieri</i> (Bedel) s. str.		+	+	+	+	+		+		+	+	
<i>Chrysolina olivieri ehumerosa</i> Bechyne						+						
<i>Chrysolina oricalcia</i> (Mueller)	+	+	+	+	+	+		+	+	+	+	+
<i>Chrysolina orientalis</i> (Olivier) s. str.									+			+
<i>Chrysolina orientalis thraessa</i> Bechyne									+			

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Chrysolina philotesia</i> Daccordi et Ruffo									+			
<i>Chrysolina polita</i> (Linnaeus)	+	+	+	+		+	+	+	+	+	+	+
<i>Chrysolina quadrigemina</i> (Suffrian)			+									
<i>Chrysolina reitteri</i> (Weise, 1884) s. str.			+	+				+	+	+		
<i>Chrysolina reitteri mangaliana</i> Bechyne										+	+	
<i>Chrysolina reitteri nevesinjensis</i> Bechyne			+	+		+	+	+		+		
<i>Chrysolina rossia</i> (Illiger)	+	+	+	+		+			+	+	+	
<i>Chrysolina rufa</i> (Duftschmid) s. str.		+	+	+								
<i>Chrysolina rufa crassicollis</i> (Suffrian) (? = <i>menthae crassicollis</i> Suffrian)			?							+		
<i>Chrysolina salviae</i> (Germar)	+	+	+		+	+	+		+	+		+
<i>Chrysolina sanguinolenta</i> (Linnaeus)				+	+	+			+	+		+
<i>Chrysolina staphylaea</i> (Linnaeus)	+	+	+	+		+	+			+		
<i>Chrysolina sturmi</i> (Westhoff)	+	+	+	+		+		+		+	+	
<i>Chrysolina taygetana</i> Bechyne									+			
<i>Chrysolina turca</i> (Fairmaire)										+		+
<i>Chrysolina varians</i> (Schaller)	+	+	+	+		+	+			+	+	
<i>Chrysolina vernalis</i> (Brulle) s. str.			?		+			+	+			
<i>Chrysolina vernalis ottomana</i> (Weise)			+		+	+	+	+	+	+		+
<i>Chrysomela collaris</i> Linnaeus				+		+		+		+		
<i>Chrysomela cuprea</i> Fabricius			+	+	+	+				+		
<i>Chrysomela populi</i> Linnaeus	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chrysomela saliceti</i> (Weise)	+	+	+	+		+		+	+	+		
<i>Chrysomela tremula</i> Fabricius	+		+	+				+	+	+		+
<i>Chrysomela vigintipunctata</i> (Scopoli)	+	+	+	+	+	+	+	+	+	+		+
<i>Colaphus sophiae</i> (Schaller)				+			+		+	+	+	+
<i>Colaspidema atrrum</i> (Olivier)									+			
<i>Cyrtonastes lacedaemonis</i> Berti et Daccordi									+			
<i>Cyrtonastes peloponnesiacus</i> Berti et Daccordi									+			
<i>Cyrtonastes ruffoi</i> Berti et Daccordi								+	+			
<i>Cyrtonastes seriatoporus</i> Fairmaire									+			
<i>Cyrtonastes weisei</i> Reitter									+			
<i>Cyrtonastes zacynthi</i> Berti et Daccordi									+			
<i>Entomoscelis adonidis</i> (Pallas)				+			+		+	+	+	+

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
Entomoscelis suturalis Weise			+				+		+	+		
Gastrophysa analis (Reitter)						+						
Gastrophysa polygoni (Linnaeus)	+	+	+	+	+	+	+		+	+	+	+
Gastrophysa viridula (De Geer)				+	+	+				+		
Gonioctena decemnotata (Marsham)		+				+				+		+
Gonioctena fornicata (Brueggemann)			+	+			+	+	+	+	+	+
Gonioctena intermedia (Helliesen)		+	+			+						
Gonioctena linnaeana (Schrank)		+	+	+	+	+	+			+	+	
Gonioctena olivacea (Forster)									+	+		
Gonioctena pallida (Linnaeus) s. str.		+										
Gonioctena pallida reticulata (Bechyne)					+	+				+		
Gonioctena quinquepunctata (Fabricius)			+	+	+	+	+			+		
Gonioctena viminalis (Linnaeus)		+	+	+						+		
Hydrothassa flavocincta (Brulle)			+	+	+	+		+	+	+		+
Hydrothassa galbra (Herbst)	+	+				+			+	+		
Hydrothassa marginella (Linnaeus)	+		+									
Leptinotarsa decemlineata (Say)	+	+	+	+	+	+	+	+	+	+	+	+
Oreina alpestris balcanica (Weise)			+	+	+	+	+			+		
Oreina cacaliae albanica Mueller								+				
Oreina cacaliae dinarica (Apfelbeck)			+	+		+	+			+	+	
Oreina intricata anderschi (Duftschmid)		?		+	+	+	+	+		+		
Oreina luctuosa (Olivier)				+		+				+		
Oreina plagiata schipkana Jakob										+		
Oreina speciosa bosnica (Apfelbeck)			+	+	?	+				+		
Oreina speciosissima drenskii Gruev				+			?			+		
Oreina virgulata ljubetensis (Apfelbeck)				+		+	+	+		+		
Oreina viridis (Duftschmid)						+	+	+				
Phaedon armoraciae (Linnaeus)			+	+	+	+			+	+		
Phaedon cochleariae (Fabricius)	+		+	+		+	+	+	+	+		+
Phaedon laevigatus (Duftschmid)	+			+	+	+	+			+	+	
Phaedon poneli Bergeal									+			
Phaedon pyritosus (Rossi)	+	+	+	+	+	+	+		+	+	+	+
Phaedon segnis Weise		+				+						
Phratora laticollis (Suffrian)	+		+	+	+	+			+	+		
Phratora tibialis (Suffrian)	+	+	+	+	+	+	+	+		+		
Phratora vitellinae (Linnaeus)		+	+	+	+	+		+		+		+
Phratora vulgatissima (Linnaeus)		+	+			+			+	+		+
Plagioderma versicolora (Laicharting)	+	+	+	+	+	+	+	+	+	+	+	+

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Plagiosterna aenea</i> (Linnaeus)	+	+	+	+	+	+	+	+		+		+
<i>Prasocuris junci</i> (Brahm)	+	+	+	+		+	+		+	+		
<i>Prasocuris phellandrii</i> (Linnaeus)	+	+	+	+		+			+	+		+
<i>Sclerophaedon carniolicus</i> (Germar)		+	+		+	+						
<i>Sclerophaedon orbicularis</i> (Suffrian)		+	+									
<i>Timarcha corinthia</i> Fairmaire s.str.			+	+	+	+	+		?			
<i>Timarcha corinthia albanica</i> Apfelbeck								+	?			
<i>Timarcha durmitorensis</i> Apfelbeck			+		+	+						
<i>Timarcha gibba</i> (Hoppe)		+	+			+						
<i>Timarcha goettingensis</i> (Linnaeus) s. str.				?		+	+	+			?	
<i>Timarcha goettingensis aerea</i> Herrich-Scheffer			+	+						+	?	
<i>Timarcha melica</i> Bechyne										+		
<i>Timarcha metallica</i> (Laicharting)		+	+	+	+	+				+		
<i>Timarcha montana</i> Fairmaire			+			+	?		?			
<i>Timarcha olivieri</i> Fairmaire s. str.												+
<i>Timarcha olivieri parnassia</i> Fairmaire									+			
<i>Timarcha pratensis</i> (Duftschmid)	+	+	+		+	+				+	+	+
<i>Timarcha rugulosa</i> Herrich-Scheffer			+									
<i>Timarcha stepaneki</i> Bechyne			+			+						
<i>Timarcha tenebricosa</i> (Fabricius)		+	+	+	+	+	+	+	+	+		+
GALERUCINAE												
<i>Agelastica alni</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aulacophora foveicollis</i> (Lucas)			+			+		+	+			
<i>Calomicrus albanicus</i> (Csiki)							+	+				
<i>Calomicrus circumfusus</i> (Marsham)	+	+	+	+		+	+			+		
<i>Calomicrus cous</i> (Weise)									+			
<i>Calomicrus gularis</i> (Gredler)			+									
<i>Calomicrus macedonicus</i> Tomov							+					
<i>Calomicrus pinicola</i> (Duftschmid)		+	+		+	+		+		+		
<i>Diorhabda elongata</i> (Brulle)			+			+	+	+	+	+		+
<i>Euluperus cyaneus</i> (Joannis)			+	+	+	+	+	+	+			
<i>Euluperus major</i> Weise							+			+		
<i>Euluperus xanthopus</i> (Duftschmid)							+			+		
<i>Exosoma gaudionis</i> (Reiche)							+	+	+	+		
<i>Galeruca cretica</i> Weise									+			
<i>Galeruca interrupta circumdata</i> Duftschmid			+	+		+	+		+	+	+	?
<i>Galeruca littoralis</i> (Fabricius)		+	+		+	+	+	+	+			

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Galeruca melanocephala</i> (Ponza)			+									+
<i>Galeruca pomonae</i> (Scopoli)	+	+	+	+	+	+	+	+	+	+	+	
<i>Galeruca rufa</i> Germar		+	+	+	+	+	+	+	+	+	+	
<i>Galeruca spectabilis</i> Faldermann												+
<i>Galeruca tanacetii</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+	+	
<i>Galerucella calmariensis</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+		+
<i>Galerucella lineola</i> (Fabricius)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galerucella nymphaeae</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galerucella pusilla</i> (Duftschmid)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Galerucella tenella</i> (Linnaeus)	+	+		+		+				+		
<i>Lachnaia cylindrica</i> (Lacordaire)			+					+				
<i>Lochmaea caprea</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+		+
<i>Lochmaea crataegi</i> (Forster)	+	+	+	+	+	+	+	+	+	+		
<i>Luperus aetolicus</i> Kiesenwetter			+		+	+	+		+			
<i>Luperus albanicus</i> Csiki								+				
<i>Luperus apollinis</i> Apfelbeck									+			
<i>Luperus cyanipennis</i> Kuester			+		+	+				+		
<i>Luperus flaviceps</i> Apfelbeck						+						
<i>Luperus flavipes</i> (Linnaeus)		+	+	+	+	+	+	+	+	+		
<i>Luperus graecus</i> Weise			+	+			+	+	+	+		
<i>Luperus longicornis</i> (Fabricius)			+	+		+		+	+	+		
<i>Luperus luperus</i> Goeze			+			+						
<i>Luperus rhilensis</i> Weise										+		
<i>Luperus viridipennis</i> Germar		+	+		+					+		
<i>Luperus xanthopoda</i> Schrank)	+	+	+	+	+	+	+	+	+	+	+	
<i>Nymphius lydius</i> (Weise)										+		
<i>Phyllobrotica adusta</i> (Creuzer)			+	+		+	+	+	+	+		+
<i>Phyllobrotica elegans</i> Kraatz										+		+
<i>Phyllobrotica quadrimaculata</i> (Linnaeus)		+		+		+				+		
<i>Pyrrhalta viburni</i> (Paykull)	+	+	+									
<i>Sermilassa halensis</i> (Linnaeus)	+	+	+	+		+	+	+	+	+		
<i>Xanthogaleruca luteola</i> (Mueller)	+		+	+	+	+	+	+	+	+	+	+
ALTICINAE												
<i>Aeschrocnemis graeca</i> (Allard)									+			
<i>Aeschrocnemis hellenica</i> (Doguet et Bergeal)									+			
<i>Aeschrocnemis merditensis</i> (Heikertinger)								+				
<i>Aeschrocnemis peloponnesiaca</i> (Heikertinger)									+			
<i>Aeschrocnemis rhilensis</i> (Gruev)										+		
<i>Aeschrocnemis rhodopensis</i> (Gruev)										+		
<i>Aeschrocnemis serbica</i> (Kutschera)			+	+					+	+		+
<i>Aeschrocnemis slavica</i> (Gruev)				+			+			+		

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Altica aenescens</i> (Weise)		+		?				?				
<i>Altica ampelophaga</i> Guerin-Meneville			+		+				+			
<i>Altica bicarinata</i> (Kutschera)									+			
<i>Altica brevicollis</i> Foudras s. str.	+	+	+	+	+	+	+		+	+	+	+
<i>Altica brevicollis coryletorum</i> Kral		+	+			+						
<i>Altica carduorum</i> Guerin-Meneville	+	+	+		+	+	+	+	+	+	+	+
<i>Altica carinthiaca</i> (Weise)						+						
<i>Altica cornivorax</i> Kral										+		+
<i>Altica fruticola</i> (Weise)						+					+	
<i>Altica globicollis</i> (Weise)												+
<i>Altica graeca</i> Kral									+			
<i>Altica helianthemii</i> (Allard)	+	+	+			+			+	+	+	
<i>Altica impressicollis</i> (Reiche)	+		+			+	+	+	+	+		+
<i>Altica jarmilae</i> Kral									+	+		
<i>Altica lythri</i> Aube		+	+	+		+	+	+	+	+	+	
<i>Altica oleracea</i> (Linnaeus) s. str.	+	+	+	+	+	+	+	+	+	+	+	+
<i>Altica oleracea breddini</i> (Mohr)		+	+									
<i>Altica palustris</i> (Weise)	+									+		
<i>Altica quercetorum</i> Foudras s. str.		+	+	+		+			+	+		+
<i>Altica quercetorum saliceti</i> (Weise)		+	+			+			+	+		
<i>Altica tamaricis</i> Schrank	+	+	+	+		+	+	+	+	+		+
<i>Aphthona abdominalis</i> (Duftschmid)	+	+	+		+	+			+	+	+	
<i>Aphthona aeneomicans</i> Allard		+										
<i>Aphthona atrocaerulea</i> (Stephens)	+	+	+	+		+			?			
<i>Aphthona atrovirens</i> (Foerster)	+	+	+		+				+	+		
<i>Aphthona biokovenski</i> Penecke			+			+		+				
<i>Aphthona bonvouloiri</i> Allard										+		+
<i>Aphthona carbonaria</i> Rosenhauer									+			
<i>Aphthona cyparissiae</i> (Koch)		+		+	+	+	+	+		+	+	
<i>Aphthona delicatula</i> Foudras									+			
<i>Aphthona euphorbiae</i> (Schrank)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aphthona flava</i> Guillebeau	+	+	+	+		+	+	+	+	+		+
<i>Aphthona flaviceps</i> Allard	+	+	+		+	+	+		+	+	?	+
<i>Aphthona franzi</i> Heikertinger					+					+	+	
<i>Aphthona fuentei</i> Reitter									+			
<i>Aphthona gracilis</i> Faldermann											+	
<i>Aphthona herbigrada</i> (Curtis)	+	+	+		+	+		+	+	+		
<i>Aphthona illigeri</i> Bedel	+	+	+									
<i>Aphthona kuntzei</i> Roubal			+			+			+			
<i>Aphthona lacertosa</i> Rosenhauer			+	+						+		+
<i>Aphthona lutescens</i> (Gyllenhal)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aphthona nigriceps</i> (Redtenbacher)	+	+	+		+	+	+		+	+		+
<i>Aphthona nigriscutis</i> Foudras			+	+		+	+	+	+	+	+	
<i>Aphthona nonstriata</i> (Goeze)	+	+	+	+	+	+	+	+	+	+		+
<i>Aphthona ovata</i> Foudras	+	+	+	+		+			+	+		+
<i>Aphthona pallida</i> (Pech)			+	+								
<i>Aphthona parnassicola</i> Heikertinger							+		+	+		

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Aphthona placida</i>				+					+	+		
<i>Aphthona pygmaea</i> (Kutschera)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aphthona semicyanea</i>	+	+	+	+	+	+		+	+	+		
<i>Aphthona stussineri</i> Weise		+	+			+						
<i>Aphthona venustula</i> Kutschera	+	+	+	+	+	+	+	+	+	+	+	+
<i>Aphthona violacea</i> (Koch)		+	+								+	
<i>Apteropeda orbiculata</i> (Marsham)		+	+			+	+			+		
<i>Argopus ahrensii</i> (Geramar)	+	+	+		+	+	+	+	+			
<i>Argopus bicolor</i> Fischer			+	+						+		
<i>Argopus brevis</i> Allard									+			
<i>Arrhenocoela lineata</i> (Rossi)			+		+			+	+			
<i>Batophila aerata</i> (Marsham)	+	+							+			
<i>Batophila fallax</i> Weise												+
<i>Batophila moesica</i> Heikertinger										+		
<i>Batophila olexai</i> Kral									+	+		
<i>Batophila rubi</i> (Paykull)	+	+	+	+	+	+	+	+		+		
<i>Chaetocnema aerea</i> (Letzner)					+	+						
<i>Chaetocnema arenacea</i> (Allard)			+	+				+	+	+		+
<i>Chaetocnema arida</i> (Foudras)	+	+	+	+		+	+		+	+		
<i>Chaetocnema aridula</i> (Gyllenhal)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chaetocnema brenskoi</i> Pic									+			
<i>Chaetocnema breviscula</i> (Faldermann)									+	+	+	+
<i>Chaetocnema chlorophana</i> (Duftschmid)		+	+	+				+	+	+	+	+
<i>Chaetocnema compressa</i> (Letzner)		+		+					+	+	+	
<i>Chaetocnema concinna</i> (Marsham)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chaetocnema conducta</i> (Motschulsky)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chaetocnema confusa</i> (Boheman)	+	+	+	+		+			+			
<i>Chaetocnema coyeyi</i> (Allard)			+	+				+	+	+		+
<i>Chaetocnema depressa</i> (Boieldieu)			+									
<i>Chaetocnema hortensis</i> (Geoffroy)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chaetocnema imitatrix</i> Gruev										+		
<i>Chaetocnema leonhardi</i> Heikertinger						+						
<i>Chaetocnema major</i> (Du Val)				+				+	+	+	+	+
<i>Chaetocnema mannerheimi</i> (Gyllenhal)		+	+	+				+	+	+		+
<i>Chaetocnema montenegrina</i> Heikertinger			+	+	+	+	+	+	+	+		
<i>Chaetocnema obesa</i> (Boieldieu)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Chaetocnema orientalis</i> (Bauduer)							+		+	+		+
<i>Chaetocnema picipes</i> Stephns		+								+		
<i>Chaetocnema procerula</i> (Rosenhauer)	+	+	+		+		+	+	+	+		+
<i>Chaetocnema sahlbergi</i> (Gyllenhal)	+	+		+	+			+	+	+		
<i>Chaetocnema scheffleri</i> Kutschera			+	+					+	+		+
<i>Chaetocnema semicoerulea</i> (Koch)	+	+	+	+	+	+	+	+	+	+		

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
Chaetocnema subcoerulea (Kutschera)	+	+	+				+	+	+	+		
Chaetocnema tibialis (Illiger)	+	+	+	+	+	+	+	+	+	+	+	+
Crepidodera aurata (Marsham)	+	+	+	+	+	+	+	+	+	+	+	+
Crepidodera aurea (Geoffroy)	+	+	+	+		+			+	+		+
Crepidodera fulvicornis (Fabricius)		+	+			+			+	+	+	
Crepidodera lamina (Bedel)		+	+	+	+	+				+		+
Crepidodera nigricoxis Allard				+	+		+	+	+	+		
Crepidodera nitidula (Linnaeus)		+			+	+	+			+		
Crepidodera peloponnesiaca (Heikertinger)									+			
Crepidodera plutus (Latreille)	+	+	+	+	+	+	+	+	+	+	+	
Derocrepis rufipes (Linnaeus)	+	+	+	+	+	+				+		
Dibolia carpathica Weise			+		+				+	+		
Dibolia cryptocephala Weise	+	+	+	+	+	+	+		+	+	+	
Dibolia cynoglassi (Koch)	+	+		+		+		+		+		
Dibolia depressiuscula Letzner	+	+	+	+	+		+		+	+		
Dibolia femoralis Redtenbacher s. str	+	+	+		+	+	+	+	+	+		
Dibolia femoralis erythrogaster Allard									+			
Dibolia foersteri Bach	+	+		+		+		+	+	+	+	
Dibolia occultans (Koch)	+	+	+	+	+	+	+	+	+	+	+	
Dibolia phoenicia Allard ,BALKAN PENINSULA (No other data)												
Dibolia rugulosa Redtenbacher	+	+	+	+	+	+		+	+	+		
Dibolia russica Weise			+									
Dibolia schillingii (Letzner)			+	+			+		+	+	+	
Dibolia timida (Illiger)	+	+	+	+		+	+	+	+	+		
Dibolia tyrrhenica Mohr									+			
Epitrix atropae Foudras	+	+	+	+	+	+	+	+		+		
Epitrix hirtipennis (Melsheimer)									+	+		
Epitrix intermedia Foudras	+	+		+			+	+	+	+		
Epitrix pubescens (Koch)	+	+	+	+	+	+	+	+	+	+	+	+
Hermaeophaga cicatrix (Illiger)	+	+										
Hermaeophaga mercurialis (Fabricius)	+	+	+	+		+	+			+		
Hermaeophaga ruficollis (Lucas)							+	+	+			
Hippuriphila modeeri (Linnaeus)	+	+	+	+		+		+		+		
Longitarsus absynthii Kutschera	+	+	+		+	+						
Longitarsus aeneicollis (Faldermann)	+		+	+	+	+	+		+	+		
Longitarsus aeneus Kutschera	+		+						+			
Longitarsus aeruginosus (Foudras)								+	+			
Longitarsus albineus (Foudras)			+				+		+	+	+	
Longitarsus alfieri Pic s. str.									+			
Longitarsus alfieri furthi Gruev				+			+		+	+		
Longitarsus anatolicus Weise										+		
Longitarsus anchusae (Paykull)	+	+	+	+	+	+		+	+	+	+	+
Longitarsus apicalis (Beck)	+	+	+	+	+	+		+	+	+		
Longitarsus atricillus (Linnaeus)	+	+	+	+	+	+		+	+	+		
Longitarsus australis (Mulsant et Rey)	+								+			

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Longitarsus ballotae</i> (Marsham)		+	+	+		+	+	+	+	+		
<i>Longitarsus barbarae</i> Doguet et Bergeal									+			
<i>Longitarsus behnei</i> Gruev et Arnold										+		
<i>Longitarsus bertii</i> Leonardi	+	+				+	+	+	+	+		+
<i>Longitarsus brisouti</i> Heikertinger		+	+		+	+			+	+		
<i>Longitarsus brunneus</i> (Duftschmid)	+	+	+	+		+		+	+	+		
<i>Longitarsus bulgaricus</i> Gruev										+		
<i>Longitarsus callidus</i> Warchalowski	+	+										
<i>Longitarsus candidulus</i> (Foudras)			+		+				+			
<i>Longitarsus celticus</i> Leonardi				+								
<i>Longitarsus cerinthes</i> (Schrank)		+	+						+			
<i>Longitarsus codinai</i> Madar et Madar			+									
<i>Longitarsus corynthius</i> (Reiche et Saulcy) s. str.			+			+	+	+	+	+		
<i>Longitarsus corynthius metallescens</i> (Foudras)			+									
<i>Longitarsus croaticus</i> Gruev			+									
<i>Longitarsus curtus</i> (Allard)			+		+	+		+	+	+		
<i>Longitarsus echii</i> (Koch)	+	+	+	+	+	+	+	+	+	+		
<i>Longitarsus exoletus</i> (Linnaeus)	+	+	+	+	+	+		+	+	+		
<i>Longitarsus fallax</i> Weise			+						+	+		+
<i>Longitarsus ferrugineus</i> (Foudras)		+	+									
<i>Longitarsus foudrasi</i> Weise	+	+	+	+	+	+	+	+	+	+		
<i>Longitarsus fulgens</i> (Foudras)		+		+						+		
<i>Longitarsus fuscoaeneus</i> Redtenbacher				+					+	+		
<i>Longitarsus ganglbaueri</i> Heikertinger	+	+	+	+	+	+	+		+	+		
<i>Longitarsus gracilis</i> Kutschera	+	+	+		+				+	+		
<i>Longitarsus helvolus</i> Kutschera		+	+									
<i>Longitarsus holsaticus</i> (Linnaeus)	+	+	+	+	+	+	+			+		
<i>Longitarsus jacobaeae</i> (Waterhouse)	+	+	+	+	+				+	+		
<i>Longitarsus jailensis</i> Heikertinger										+		+
<i>Longitarsus juncicola</i> (Foudras)		+	+		+	+		+	+	+	+	
<i>Longitarsus kutscherae</i> (Rye)	+	+				+		+	+	+		
<i>Longitarsus languidus</i> Kutschera	+	+	+	+								
<i>Longitarsus lateripunctatus</i> (Rosenhauer) s. str.			+						+			
<i>Longitarsus lateripunctatus personatus</i> Weise		+	+	+	+	+			+	+		
<i>Longitarsus lewisii</i> (Baly)	+	+				+	+		+	+		
<i>Longitarsus linnaei</i> (Duftschmid)	+	+	+	+		+			+	+		+

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
Longitarsus longipennis Kutschera			+	+	+				+	+		
Longitarsus longiseta Weise		+								+		
Longitarsus luridus (Scopoli)	+	+	+	+	+	+	+	+	+	+	+	+
Longitarsus lycopi (Foudras)	+	+	+	+	+	+	+	+	+	+	+	+
Longitarsus medvedevi Shapiro				+						+		
Longitarsus melanocephalus (De Geer)	+	+	+	+	+	+	+	+	+	+	+	+
Longitarsus membranaceus (Foudras)	+	?	+			+			+	+		
Longitarsus minimus Kutschera	+					+						
Longitarsus minusculus (Foudras)	+	+	+		+	+			+	+		
Longitarsus monticola Kutschera		+						+		+		
Longitarsus nanus (Foudras)	+	+	+	+		+			+	+		
Longitarsus nasturtii (Fabricius)	+	+	+	+	+	+			+	+		
Longitarsus niger (Koch)	+	+	+	+	+	+	+	+	+	+		
Longitarsus nigerrimus (Gyllenhal)		+										
Longitarsus nigrofasciatus (Goeze)	+	+	+	+	+	+	+	+	+	+	+	+
Longitarsus nimrodi Furth	+	+					+			+		
Longitarsus noricus Leonardi		+				+				+		
Longitarsus obliteratoides Gruev	+								+			
Longitarsus obliteratus (Rosenhauer)	+	+	+	+	+	+	+	+	+	+	+	+
Longitarsus ochroleucus (Marsham)	+	+	+	+					+	+		
Longitarsus pallidicornis Kutschera		+				+						
Longitarsus parvulus (Paykull)	+	+	+	+	+	+	+	+	+	+	+	
Longitarsus pellucidus (Foudras)	+	+	+	+	+	+	+	+	+	+	+	+
Longitarsus picicollis Weise										+	+	
Longitarsus pinguis Weise		+	?	+					+	+		
Longitarsus pratensis (Panzer)	+	+	+	+	+	+	+	+	+	+	+	+
Longitarsus pulmonariae Weise		+	+	+		+						
Longitarsus quadriguttatus (Pontoppidan)				+	+		+		+	+		
Longitarsus rectilineatus (Foudras)			+			+	+		+	+		
Longitarsus reichei (Allard)	+	+	+	+		+		+	+	+	+	
Longitarsus rubellus (Foudras)		+	+			+						
Longitarsus rubiginosus (Foudras)	+	+	+		+	+		+	+	+		
Longitarsus salviae Gruev		+	+	+		+	+		+	+		
Longitarsus scrobipennis Heikertinger			+		+					+		
Longitarsus scutellaris (Rey)	+	+	+		+	+		+	+	+		
Longitarsus solaris Gruev									+	+		
Longitarsus strigicollis Wollaston		+	+							+		

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Longitarsus substriatus</i> Kutschera			+		+			+	+	+	+	
<i>Longitarsus succineus</i> (Foudras)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Longitarsus suturellus</i> (Duftschmid)	+	+	+	+	+	+	+	+	+	+	+	
<i>Longitarsus symphyti</i> Heikertinger			+									
<i>Longitarsus tabidus</i> (Fabricius)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Longitarsus tristis</i> Weise			?							+		
<i>Longitarsus truncatellus</i> Weise									+			
<i>Longitarsus weisei</i> Guillebeau								+				
<i>Lythraria salicariae</i> (Peykull)		+	+	+		+			+	+	+	
<i>Mantura cylindrica</i> Miller			+						+	+		
<i>Mantura lutea</i> (Allard)									+			
<i>Mantura mathewsi</i> (Curtis)			+		+	+				+		
<i>Mantura obtusata</i> (Gyllenhal)		+	+	+	+	+			+	+		
<i>Mantura rustica</i> (Linnaeus)		+		+	+	+	+		+	+		+
<i>Minota carpathica</i> Heikertinger		+	+							+		
<i>Minota halmae</i> (Apfelbeck)		+	+			+				+		
<i>Minota impuncticollis</i> (Allard)				+	+	+		+				
<i>Minota stussineri</i> (Weise)			+		+	+		?				
<i>Mniophila bosnica</i> Apfelbeck					+	+						
<i>Mniophila muscorum</i> (Koch)		+	+	+	+	+	+	+		+	+	
<i>Neocrepidodera albanica</i> (Mohr)							+	+				
<i>Neocrepidodera corpulenta</i> (Kutschera)			+	+	+	+	+	+		+		
<i>Neocrepidodera crassicornis</i> (Faldermann)	+	+	+	+		+			+	+		
<i>Neocrepidodera femorata</i> (Gyllenhal)		+	+			+				+		
<i>Neocrepidodera ferruginea</i> (Scopoli)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Neocrepidodera impressa</i> (Fabricius) s. str.	+	+	+		+	+		+	+			
<i>Neocrepidodera impressa obtusangula</i> (J. Daniel)									+	+		
<i>Neocrepidodera melanostoma</i> (Redtenbacher)		+	+			+		+				
<i>Neocrepidodera motschulskii</i> (Konstantinov)										+		
<i>Neocrepidodera nigrifula</i> (Gyllenhal)	+	+	+	+		+				+		+
<i>Neocrepidodera norica</i> (Weise)		+	+			+	+					
<i>Neocrepidodera peirolerii</i> (Kutschera)						+	+		?	+		
<i>Neocrepidodera springeri</i> (Heikertinger)				+	+	+		+				
<i>Neocrepidodera transversa</i> (Marsham)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Ochrosis ventralis</i> (Illiger)	+		+		+	+		+	+	+		+
<i>Orestia alpina</i> (Germar)		+	+	+	+	+	+	+				
<i>Orestia aubei</i> Allard		?		+	+	+			+			
<i>Orestia bulgarica</i> Heikertinger				+						+		

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Orestia calabra corcyrea</i> Heikertinger									+			
<i>Orestia kraatzi</i> Allard			+									
<i>Orestia paveli</i> Frivaldszky				+			+	+				
<i>Phyllotreta acutecarinata</i> Heikertinger									+			
<i>Phyllotreta armoraciae</i> (Koch)		+		+						+		
<i>Phyllotreta astrachanica</i> Lopatin		+		+	+				+	+		
<i>Phyllotreta atra</i> (Fabricius)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Phyllotreta balcanica</i> Heikertinger	+	+	+	+	+	+	+	+	+	+	+	
<i>Phyllotreta bulgarica</i> Gruev									+	+		
<i>Phyllotreta christinae</i> Heikertinger		+	+	+		+				+		
<i>Phyllotreta consobrina</i> (Curtis)			+									
<i>Phyllotreta corrugata</i> Reiche et Saulcy									+	+		
<i>Phyllotreta cruciferae</i> (Goeze)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Phyllotreta dacica</i> Heikertinger			+	+		+				+		
<i>Phyllotreta diademata</i> Foudras	+	+	+	+	+	+	+	+	+	+	+	+
<i>Phyllotreta erysimi</i> Weise				+	+		+		+	+		+
<i>Phyllotreta exclamationis</i> (Thunberg)		+	+		+	+				+		
<i>Phyllotreta flavoguttata</i> Kutschera									+			
<i>Phyllotreta flexuosa</i> (Illiger)		+				+			+	+		
<i>Phyllotreta ganglbaueri</i> Heikertinger	+	+	+	+	+	+				+		
<i>Phyllotreta hochetlingeri</i> Fleischer			+									
<i>Phyllotreta judaea</i> Pic										+		
<i>Phyllotreta lativittata</i> Kutschera									+			
<i>Phyllotreta nemorum</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Phyllotreta nigripes</i> (Fabricius)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Phyllotreta nodicornis</i> (Marsham)	+	+	+	+		+				+		
<i>Phyllotreta ochripes</i> (Curtis)	+	+	+	+	+	+			+	+	+	+
<i>Phyllotreta pontoaegeica</i> Gruev							+		+	+		
<i>Phyllotreta procera</i> (Redtenbacher)	+	+	+	+		+	+		+	+	+	
<i>Phyllotreta punctulata</i> (Marsham)	+	+	+	+	+	+	+		+	+	+	+
<i>Phyllotreta rugifrons</i> Kuester	+		+									
<i>Phyllotreta scheuchi</i> Hweikertinger										+		
<i>Phyllotreta striolata</i> (Fabricius)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Phyllotreta tetrastigma</i> (Comolli)		+	+			+				+		
<i>Phyllotreta undulata</i> Kutschera	+	+	+	+	+	+	+	+	+	+	+	+
<i>Phyllotreta variipennis</i> (Boieldieu)	+	+	+		+	+	+		+	+	+	+
<i>Phyllotreta vilis</i> Weise			+				+		+	+		
<i>Phyllotreta vittula</i> (Redtenbacher)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Phyllotreta zerchei</i> Doeberl									+			
<i>Podagrica fuscicornis</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Podagrica malvae</i> (Illiger) s. str.	+	+	+	+	+	+	+	+	+	+	+	+

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Podagrica malvae semirufa</i> (Kuester)			+		+			+	+			
<i>Podagrica menetriesi</i> (Faldermann)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Psylliodes aereus austriacus</i> Heikertinger										+		
<i>Psylliodes affinis</i> (Paykull)	+	+	+	+	+	+	+		+	+	+	
<i>Psylliodes algiricus</i> Allard									+			
<i>Psylliodes attenuatus</i> (Koch)	+	+	+	+	+	+			+	+	+	
<i>Psylliodes brisouti</i> Bedel		+			+		+		+	+		
<i>Psylliodes chalcomerus</i> (Illiger)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Psylliodes chrysocephalus</i> (Linnaeus)	+	+	+	+	+	+	+	+	+	+	+	+
<i>Psylliodes circumdatus</i> (Redtenbacher)			+	+	+	+	+		+	+		
<i>Psylliodes creticus</i> Weise									+			
<i>Psylliodes cucullatus</i> (Illiger)			+									
<i>Psylliodes cupreatus</i> (Duftschmid)			+									
<i>Psylliodes cupreus</i> (Koch)	+	+	+	+		+	+	+	+	+	+	+
<i>Psylliodes dulcamarae</i> (Koch)	+	+	+	+		+		+	+	+		
<i>Psylliodes fusiformis</i> (Illiger)			+									
<i>Psylliodes gibbosus</i> Allard	+	+	+									
<i>Psylliodes glaber</i> (Duftschmid)	+	+				+						
<i>Psylliodes hyoscyami</i> (Linnaeus)			+	+	+	+			+	+	+	
<i>Psylliodes illyricus</i> Leonardi et Gruev			+	+		+				+		
<i>Psylliodes instabilis</i> Foudras	+		+			+	+		+	+		
<i>Psylliodes isatidis</i> Heikertinger			+	+	+		+		+	+		
<i>Psylliodes kiesenwetteri</i> Kutschera			+		+	+	+	+	+	+		
<i>Psylliodes laevifrons</i> Kutschera									+			
<i>Psylliodes laticollis</i> Kutschera		+	+						+	+		
<i>Psylliodes luteolus</i> (O. F. Mueller)			+			+			+	+		
<i>Psylliodes magnificus</i> Gruev									+	+		
<i>Psylliodes marcidus</i> (Illiger)	+		+						+	+		
<i>Psylliodes milleri</i> Kutschera									+			
<i>Psylliodes napi</i> (Fabricius) s. str.	+	+	+	+	+	+		+	+	+		+
<i>Psylliodes napi flavicornis</i> Weise		+	+									
<i>Psylliodes pallidicolor</i> Pic									+	+		
<i>Psylliodes picinus</i> (Marshall)		+	+			+				+	+	
<i>Psylliodes picipes</i> Redtenbacher		+	+									
<i>Psylliodes puncticollis</i> Rosenhauer	+		+					+	+	+		
<i>Psylliodes pyritosus</i> Kutschera	+	+	+		+	+			+			
<i>Psylliodes rambouseki forjulensis</i> Heikertinger		+	+									
<i>Psylliodes reitteri</i> Weise						+				+		
<i>Psylliodes sturanyi</i> Apfelbeck				+	+	+				+		
<i>Psylliodes subaeneus</i> Kutschera			+		+	+						

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Psylliodes thlaspi</i> Foudras	+	+	+	+					+	+		
<i>Psylliodes toelgi</i> Heikertinger		+			+							
<i>Psylliodes tricolor</i> Weise							+		+	+	+	
<i>Psylliodes vindobonensis</i> Heikertinger			+									
<i>Psylliodes wachsmanni</i> Csiki	+	+	+		+			+				
<i>Psylliodes wrasei</i> Leonardi et Arnold							+		+	+		
<i>Sphaeroderma rubidum</i> (Graells)	+	+	+	+	+	+		+	+			+
<i>Sphaeroderma testaceum</i> (Fabricius)	+	+	+		+	+		+	+	+		
HISPINAE												
<i>Dicladispa testacea</i> (Linnaeus)			+					+	+	+		+
<i>Hispa atra</i> Linnaeus	+	+	+	+	+	+	+	+	+	+		
<i>Leptispa filiformis</i> (Germar)									+			
CASSIDINAE												
<i>Cassida atrata</i> Fabricius		+	+	+		+	+	+	+	+	+	+
<i>Cassida aurora</i> Weise						+						
<i>Cassida azurea</i> Fabricius			+							+		
<i>Cassida berolinensis</i> Suffrian										+		
<i>Cassida brevis</i> Weise									+			+
<i>Cassida canaliculata</i> Laicharting		+	+	+						+		
<i>Cassida denticollis</i> Suffrian		+	+	+						+		
<i>Cassida elongata</i> Weise										+		
<i>Cassida fastuosa</i> Schaller			+		+	+		+	+	+	+	
<i>Cassida fausti</i> Spaeth et Reitter												+
<i>Cassida ferruginea</i> Goeze	+	+	+	+		+			+	+	+	
<i>Cassida flaveola</i> Thunberg	+	+		+		+	+	+		+		
<i>Cassida hemisphaerica</i> Herbst	+	+	+			+			+	+		
<i>Cassida inquinata</i> Brulle			+				+	+	+	+		
<i>Cassida lineola</i> Creutzer										+		
<i>Cassida margaritacea</i> Schaller	+	+	+	+	+	+	+	+	+	+		
<i>Cassida murraea</i> Linnaeus	+	+	+			+	+	+	+	+		+
<i>Cassida nebulosa</i> Linnaeus	+		+	+		+	+		+	+	+	
<i>Cassida nobilis</i> Linnaeus	+	+	+	+	+	+		+	+	+		
<i>Cassida pannonica</i> Suffrian				+		+	+			+		
<i>Cassida panzeri</i> Weise	+	+	+							+		
<i>Cassida parvula</i> Boheman										+		
<i>Cassida prasina</i> Illiger		+	+	+	+	+	+	+	+	+	+	
<i>Cassida pusilla</i> Waltl			+					+	+			
<i>Cassida rubiginosa</i> Mueller	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cassida rufovirens</i> Suffrian			+			+				+		
<i>Cassida sanguinolenta</i> Mueller	+	+	+	+		+	+	+		+		
<i>Cassida sanguinosa</i> Suffrian	+	+	+			+						
<i>Cassida seladonia</i> Gyllenhal						+			+	+		
<i>Cassida seraphina</i> Menetries									+			+
<i>Cassida stigmatica</i> Suffrian			+	+		+				+		
<i>Cassida subferruginea</i> Schrank	+	+	+	+	+	+	+	+	+	+	+	+
<i>Cassida subreticulata</i> Suffrian	+	+	+	+	+	+	+	+	+	+		

Names of taxa	I	Sl	Cr	Sb	Mg	BH	M	A	G	B	R	T
<i>Cassida veselyi</i> Guenther								+				
<i>Cassida vibex</i> Linnaeus	+	+	+	+	+	+	+	+	+	+		+
<i>Cassida viridis</i> Linnaeus	+	+	+	+	+	+	+	+	+	+		
<i>Cassida vittata</i> Villers			+			+			+			+
<i>Oxylepis deflexicollis</i> (Boheman)									+			

The number of the leaf beetle taxa established in each of the countries is as follows: Italy (Balkan part) – 285, Slovenia (Balkan part) – 343, Croatia (Balkan part)– 485, Serbia (Balkan part) – 354, Montenegro – 272, Bosnia-Herzegovina – 433, Republic of Macedonia – 266, Albania – 271, Greece – 434, Bulgaria – 522, Rumanian Dobrudja – 181, European Turkey – 175.

REFERENCES

- APFELBECK, V. 1912. Komponente balkanske faune iz roda Chrysomelidae (Col.). – Glasnik Zemal. Muz. Bosn. Herzeg., 24: 235-263 (in Serbian)
- APFELBECK, V. 1914. Komponente balkanske faune iz roda Chrysomelidae (Col.). – Glasnik Zemal. Muz. Bosn. Herzeg., 26: 435-450 (in Serbian)
- APFELBECK, V. 1916. Komponenten der Balkanfauna aus der Familie Chrysomelidae (Col.). – Wiss. Mitteil. Bosn. Hezwg., 13: 354-396
- BRELIH, S., DÖBERL, M., DROVENIK, B., PIRNAT, A. 2003. Materialien zur Käferfauna (Coleoptera) Slowenien. 1. Beitrag: Polyphaga: Chrysomeloidea (Phytophaga): Chrysomelidae: Alticinae. – Scopolia (Slovenia), 50: 1-279
- GRUEV, B. 1979. Chrysomelidae (Coleoptera) Jugoslaviens (Unterfamilien Lamprosomatinae, Eumolpinae, Chrysomelinae, Alticinae, Hispinae, Cassidinae). – Dtsch. ent. Z., N. F. 26, 1-3: 113-152
- GRUEV, B. 1990. The geographic distribution of Lamprosomatinae, Eumolpinae, Chrysomelinae, Alticinae, Hispinae and Cassidinae in Greece (Coleoptera, Chrysomelidae). - Dtsch. ent. Z., N. F., 37, 4-5: 289-359
- GRUEV, B. 1992. Geographical distribution of the leaf beetle subfamilies Lamprosomatinae, Eumolpinae, Chrysomelinae, Alticinae, Hispinae and Cassidinae (Coleoptera, Chrysomelidae) on the Balkan Peninsula. – Plovdiv University Press. 510 pp.
- GRUEV, B. 1998. Checklist of Eumolpinae, Chrysomelinae, Alticinae, Hispinae and Cassidinae (Coleoptera: Chrysomelidae). – Pensoft Publishers, Sofia. 60 pp.
- GRUEV, B., TOMOV, V. 1984. Coleoptera, Chrysomelidae 1. – in: Fauna bulgarica, 13, Bulg. Acad Sci. Sofia. 219 pp. (in Bulgarian)
- GRUEV, B., TOMOV, V. 1986. Coleoptera, Chrysomelidae 2. – in: Fauna bulgarica, 16, Bulg. Acad Sci. Sofia. 388 pp. (in Bulgarian)
- GRUEV, B., TOMOV, V. 1998. Coleoptera: Chrysomelidae. – in: Catalogus faunae bulgaricae. 3. Pensoft Publishers, Sofia-Moscow. 160
- MOHR, K.-H. 1965. Ergebnisse der Albanian-Expedition 1961 des Deutschen Entomologischen Institutes (Col., Chrysomelidae, Halticinae). – Beirt. Entomol., 15, 5-6: 701-729

- MOHR, K.-H. 1965. Ergebnisse der Albanian-Expedition 1961 des Deutschen Entomologischen Institutes (Col., Chrysomelidae). – Beirt. Entomol., 16,3-4: 347-380
- MÜLLER, G. 1953. Chrysomelidae. – in: Coleotteri della Venezia Giulia (Italy). 685 pp.
- Nonveiller, G. 1984. Alticinae. – in: Fauna Durmitora. 1. Crnogorska akad. Nauka I umetnosti, Posebna izdanja, 28: 119-137 (in Serbian)
- NOVAK, P. 1952. Kornjaši Jadranskog primorja. – Izd. Zavod Jugosl. Akad. Znanosti. 521 (in Serbian)
- NOVAK, P. 1970. Rezultati istra'ivanja kornjaša naseg oto-ja. – Prirodoslovna istraživanja. (in Serbian)
- ROUBAL, J. 1931-1934. Fragmente zur Koleopterenfaunistik des balkanischen Festlandes. – Entom. Anzeiger, 11: parts 11, 12, 13, 14

СРАВНИТЕЛЕН СПИСЪК НА ЛИСТОЯДИТЕ НА БАЛКАНСКИТЕ СТРАНИ (COLEOPTERA: CHRYSOMELIDAE)

Благой А. Груев

*ПУ “Паусий Хилендарски”,
Катедра Зоология, ул. Цар Асен 24, 4000 Пловдив*

(Резюме)

Направен е сравнителен списък на таксоните от семейство Chrysomelidae (Coleoptera), установени в страните на Балканския полуостров. Общият брой на таксоните на полуострова е 791. Броят им в отделните страни е както следва: Италия (балканска част) – 285, Словения (балканска част) – 343, Хърватска (балканска част) – 485, Сърбия (балканска част) – 354, Черна Гора – 272, Босна и Херцеговина – 433, Република Македония – 266, Албания – 271, Гърция – 434, България – 522, Румънска Добруджа – 181, Европейска Турция – 175.